


Faculty of Engineering and Technology Department of Computer Science

Introduction to Computers and Programming (Comp 133)



References :

Book : Problem Solving and Program Design in C (7th Edition) 7th Edition

Slides : Dr. Radi Jarrar , Dr. Abdallah Karakra , Dr. Majdi Mafarja.

STUDENTS-HUB.com

Structures

Chapter 10

Structures

- In C a structure is a customised user-defined data type.
- structure definition : the template used to create structure variables.
- **structure elements** : the member variables of the structure type.
- **Syntax Method1**

Structure
present the new type

```
struct tag  
{ type var_1 ;  
  type var_2 ;  
  ...  
  int rec_no ;  
};
```

tag is an identifier
name given to the
customised "**type**"



Chapter 10

- Structure
 - User-Defined structure types

User-Defined structure types

- Example define structure for student with information: **Name , Age**

```
struct student
{
    char name[20];
    int age;
};
```

- To created the variable of student type
 - **struct** student s1;
- To access the structure elements
 - strcpy(s1.name, "Ahmed ");
 - s1.age=25;

User-Defined structure types

- **typedef in C** : a keyword used to provide alternative names to the already existing predefined variable.
- Syntax
 - `typedef <existing_name> <alias_name>`

```
typedef unsigned int unit;  
  
unit i,j;  
i=10;  
j=20;  
printf("Value of i is :%d",i);  
printf("\nValue of j is :%d",j);
```

```
typedef double * double_ptr ;  
double_ptr ptr ;  
// no need of * here as it is part of the type
```

User-Defined structure types

- Using **typedef** with structures

```
struct student
{
    char name[20];
    int age;
};

typedef struct student stud;
stud s1, s2;
```

```
typedef struct student
{
    char name[20];
    int age;
} stud;
stud s1, s2;
```

User-Defined structure types

- C provides several ways to define structures, we will explore just one approach defining a **new data type for each category of structured objects**.
- To developing a database of the planets in our solar system. For each **planet**, we need to represent information like :
 - **Name:** Jupiter , **Diameter:** 142,800 km , **Moons:** 16
 - **Orbit time:** 11.9 years , **Rotation time:** 9.925 hours

User-Defined structure types

- **Structure type**: data type for a record composed of multiple components.
- We can define a **structure type planet_t** to use in declaring a variable in which to store this information.

```
#define STRSIZ 10

typedef struct {
    char    name[STRSIZ];
    double  diameter;           /* equatorial diameter in km    */
    int     moons;              /* number of moons              */
    double  orbit_time,         /* years to orbit sun once      */
           rotation_time;      /* hours to complete one
                                revolution on axis            */
} planet_t;
```

User-Defined structure types

Method 1

```
typedef struct
{
    int rec_no;
    char name[30];
    char town[40];
    char country[20];
} RECORD2 ;

RECORD2 person2;
person2.rec_no=105;
printf("%d\n",person2.rec_no);
```


Method 2

```
struct RECORD
{
    int rec_no;
    char name[30];
    char town[40];
    char country[20];
};

struct RECORD person;
person.rec_no=109;
printf("%d \n",person.rec_no);
```

User-Defined structure types


- Structure memory size allocated .



```
struct Employee
{
    int id;
    char Name[10];
    float salary;
} emp;
```

sizeof (emp) = 4 + 10 + 4 = 18 bytes

where;
sizeof (int) = 4 byte
sizeof (char) = 1 byte
sizeof (float) = 4 byte



User-Defined structure types

- Define structure for employee with information : **Name, Id , Salary**

```
1 #include <stdio.h>
2 #include<string.h>
3 struct employee
4 {   int id;
5     char name[50];
6     float salary;
7 };
8 int main()
9 {
10     struct employee e1, e2;
11     e1.id=10;
12     e2.id=20;
13     strcpy(e1.name,"Ahmed");
14     strcpy(e2.name,"Sabbah");
15     e1.salary=3000;
16     e2.salary=5000;
17     printf("%d \t%s \t %lf\n",e1.id,e1.name,e1.salary);
18     printf("%d \t%s \t %lf\n",e2.id,e2.name,e2.salary);
19     return 0;
20 }
```

| | input |
|----|--------------------|
| 10 | Ahmed 3000.000000 |
| 20 | Sabbah 5000.000000 |

```
1 #include <stdio.h>
2 #include<string.h>
3 struct employee
4 {   int id;
5     char name[50];
6     float salary;
7 } e1,e2;
8 int main()
9 {
10     //struct employee e1, e2;
11     e1.id=10;
12     e2.id=20;
13     strcpy(e1.name,"Ahmed");
14     strcpy(e2.name,"Sabbah");
15     e1.salary=3000;
16     e2.salary=5000;
17     printf("%d \t%s \t %lf\n",e1.id,e1.name,e1.salary);
18     printf("%d \t%s \t %lf\n",e2.id,e2.name,e2.salary);
19     return 0;
20 }
```

| | input |
|----|--------------------|
| 10 | Ahmed 3000.000000 |
| 20 | Sabbah 5000.000000 |

User-Defined structure types

- Initialising Structures

```
struct id
{
    char name[30];
    int id_no;
};
struct id student = { "John", 4563 };
```

- Structure Assignment

```
struct
{
    int a, b;
} x = {1, 2}, y;

y = x; // assigns values of all fields in x to fields in y
printf("%d", y.a);
```



Chapter 10

- Structure
 - Structure type data as input and output parameters
 - Functions result values are structures

Structure

- Structures like any other type in C.
- It can create arrays of structures, nest structures, pass structures as arguments to functions.

```
struct time {  
    int hour ;  
    int min ;  
    int sec ;  
} ;  
  
struct employee_log {  
    char name[30] ;  
    struct time start, finish ;  
} employee_1 ;
```

To access the hour field of time in the variable **employee_1**.

employee_1.start.hour = 9 ;

employee_1.finish.hour = 4 ;

Array of Structure

- If need to keep track 100 employees so that an array of **employee_log** would be useful.

```
struct time {  
    int hour ;  
    int min ;  
    int sec ;  
} ;  
  
struct employee_log {  
    char name[30] ;  
    struct time start, finish ;  
} employee_1 ;
```

```
struct employee_log workers[100] ;
```

To access specific employees

```
workers[10].finish.hour = 10 ;
```


Structure type data as input and output parameter

```
struct time {  
    int hour ;  
    int min ;  
    int sec ;  
} ;  
  
struct employee_log {  
    char name[30] ;  
    struct time start, finish ;  
} employee_1 ;
```

To pass structure variable to functions as parameters.

```
function1( employee_1 ) ;
```

To implements a call to **function1**

```
void function1( struct employee_log emp )  
{ .....}
```

To Passing an array of structures to a function

```
struct employee_log workers[100] ;  
function2( workers ) ;
```

To implements a call to **function2**

```
void function2( struct employee_log staff[ ] )  
{ .....}
```

Structure type data as input and output parameter

- Pass by value is less effective than pass by reference with structure.
- Full local copy of the structure passed is made in memory.
- **Structure Pointers**

```
struct address {  
    char name[20] ;  
    char street[20] ;  
} ;  
struct address person ;  
    struct address *addr_ptr ;
```

addr_ptr = &person ;

To access the elements using a pointer
Use -> operator (**only with pointer**)

addr_ptr -> name

Structure Pointers

```
struct Books {
    char title[50];
    char author[50];
    char subject[100];
    int book_id;
};

void printBook( struct Books *book );

int main( ) {

    struct Books Book1;

    strcpy( Book1.title, "C Programming");
    strcpy( Book1.author, "Ahmed ");
    strcpy( Book1.subject, "C Programming Comp133");
    Book1.book_id = 6495407;

    printBook( &Book1 );

    return 0;
}
```

Output

```
Book title : C Programming
Book author :Ahmed
Book subject :C Programming Comp133
Book book_id : 6495407
```

```
void printBook( struct Books *book ) {

    printf( "Book title : %s\n", book->title);
    printf( "Book author : %s\n", book->author);
    printf( "Book subject : %s\n", book->subject);
    printf( "Book book_id : %d\n", book->book_id);

}
```



Thank You.

