

Chapter 18 Recursion

Original slides by
Daniel Liang
Modified slides by
Anas Arram



Motivations

To use recursion is to program using recursive methods—that is, to use methods that invoke themselves. Recursion is a useful programming technique.

In some cases, it enables you to develop a natural, straightforward, simple solution to an otherwise difficult problem.

This chapter introduces the concepts and techniques of recursive programming and illustrates with examples of how to “think recursively.”



Recursion

Find the sum of numbers, from 0 to n .

Loop

```
int sum(int n){  
    int sum = 0;  
    for(int i = 0; i < n; i++){  
        sum += i;  
    }  
    return sum;  
}
```

Recursion

```
int sum(int n){  
    if(n==0){  
        return 0;  
    }  
    return n + sum(n-1);  
}
```



Recursion

n = 5

```
int sum(int n){  
    if(n==0){  
        return 0;  
    }  
    return n + sum(n-1);  
}
```




Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```




```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```



```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```



Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

0

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

0

0

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

1

0

0

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

1

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

0

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

0

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

3

1

0

1

0

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

3

3

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

1

1

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

0

0

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

Recursion

```
int sum(int 5){  
    if(5==0){  
        return 0;  
    }  
    return 5 + sum(5-1);  
}
```

10

```
int sum(int 4){  
    if(4==0){  
        return 0;  
    }  
    return 4 + sum(4-1);  
}
```

6

```
int sum(int 3){  
    if(3==0){  
        return 0;  
    }  
    return 3 + sum(3-1);  
}
```

6

3

3

```
int sum(int 2){  
    if(2==0){  
        return 0;  
    }  
    return 2 + sum(2-1);  
}
```

1

1


```
int sum(int 1){  
    if(1==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

0


0

```
int sum(int 0){  
    if(0==0){  
        return 0;  
    }  
    return 1 + sum(1-1);  
}
```

Recursion



Recursion



Factorial

```
//recursive method
public int factorial(int n) {
    if (n == 0) // Base case
        return 1;
    else
        return n * factorial(n - 1); // Recursive call
}
```

//recursive definition

$$n! = n * (n-1)!$$



$$0! = 1$$

ComputeFactorial



Run





Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial




Trace Recursive factorial



Trace Recursive factorial



Trace Recursive factorial



Other Recursive definitions

$$f(0) = 0;$$

$$f(n) = n + f(n-1);$$

$$g(0)=1;$$

$$g(n)=g(n-1)+2$$

$$h(0)=1;$$

$$h(n)=3*h(n-1);$$



Characteristics of Recursion

All recursive methods have the following characteristics:

- One or more non-recursive **base cases** are used to stop the recursion.
- **Recursive calls** that reduce the original problem, bringing it increasingly closer to a base case until it becomes a base case.

To solve a problem using recursion, you break it into smaller subproblems, similar to the original problem.

```
DoSomething(list) {  
    Do(head); DoSomething(head.next);  
}
```

Reaching the base case

- ♦ You must convince yourself that the non-recursive base case is eventually reached. What about:

```
public void doIt(int n) {  
    if(n != 0) {  
        bla;  
        doIt(n-2);  
    }  
}
```



Fibonacci's Rabbits

- ◆ Suppose a newly-born pair of rabbits, one male, one female, are put on an island.
 - A pair of rabbits doesn't breed until 2 months old.
 - Thereafter each pair produces another pair each month
 - Rabbits never die.
- ◆ How many pairs will there be after n months?




image from: <http://www.jimloy.com/algebra/fibo.htm>

Fibonacci Numbers

Fibonacci series: 0 1 1 2 3 5 8 13 21 34 55 89...

indices: 0 1 2 3 4 5 6 7 8 9 10 11

$\text{fib}(0) = 0;$

$\text{fib}(1) = 1;$

$\text{fib}(\text{index}) = \text{fib}(\text{index} - 1) + \text{fib}(\text{index} - 2); \text{index} \geq 2$


$$\begin{aligned}\text{fib}(3) &= \text{fib}(2) + \text{fib}(1) \\ &= (\text{fib}(1) + \text{fib}(0)) + \text{fib}(1) \\ &= (1 + 0) + 1 + 1 = 2\end{aligned}$$

ComputeFibonacci

Run



Fibonnaci Numbers, cont.



Characteristics of Recursion

All recursive methods have the following characteristics:

- One or more base cases (the simplest case) are used to stop recursion.
- Every recursive call reduces the original problem, bringing it increasingly closer to a base case until it becomes that case.

Break a problem into subproblems.

If a subproblem is the same as the original problem, but with a smaller size, solve the subproblem recursively

Exercise

- ◆ Let's write a method `reverseLines` (`Scanner scan`) that reads lines using the scanner and prints them in reverse order.
 - Use recursion without using loops.

– Example input:

```
this  
is  
fun  
no?
```

Expected output:

```
no?  
fun  
is  
this
```



- What are the cases to consider?
 - ◆ How can we solve a small part of the problem at a time?
 - ◆ What is a file that is very easy to reverse?



Reversal pseudocode

- ♦ Reversing the lines of a file:
 - Read a line L from the file.
 - Print the rest of the lines in reverse order.
 - Print the line L.

- ♦ If only we had a way to reverse the rest of the lines of the file....



Reversal solution

```
public void reverseLines(Scanner input) {  
    if (input.hasNextLine()) {  
        // recursive case  
        String line = input.nextLine();  
        reverseLines(input);  
        System.out.println(line);  
    }  
}
```

– Where is the base case?



Memoization


- ◆ Problems like Fibonacci and parkingLot create “bushy” trees.
- ◆ These trees are full of repeated calls
- ◆ We can achieve tremendous speedup by saving intermediate results.

Look back at the Fibonacci call tree:

$\text{fib}(n)$ calls $\text{fib}(n-1)$ and $\text{fib}(n-2)$

$\text{fib}(n)$ calls $\text{fib}(n-2)$ and $\text{fib}(n-3)$

So $\text{fib}(n)$ calls $\text{fib}(n-2)$ twice (1 direct, 1 indirect)



Fast Fib

```
private long[] memo = new long[100];  
public long fastFib(int n){  
    if(n<2) return n;  
    if (memo[n]==0) // not computed yet  
        // so compute and memoize it  
        memo[n] = fastFib(n-1) + fastFib(n-2);  
    return memo[n];  
}
```



Exercise 18.3 GCD

$$\text{gcd}(2, 3) = 1$$

$$\text{gcd}(2, 10) = 2$$

$$\text{gcd}(25, 35) = 5$$

$$\text{gcd}(205, 301) = 5$$

$$\text{gcd}(m, n)$$

Approach 1: Brute-force, start from $\min(n, m)$ down to 1, to check if the number is common divisor for both m and n , if so, it is the greatest common divisor.

Approach 2: **Euclid's** algorithm

Approach 3: Recursive Euclid

Euclid's algorithm

E.g., $\text{gcd}(287, 91)$

♦ $287 = (287/91)*91 + 287\%91 = 91*3 + 14$

any divisor of 287 and 91 is a divisor of 14:

$$287 - 91*3 = 14$$

also

any divisor of 91 and 14 must be a divisor of 287:

$$287 = 91*3 + 14$$

♦ Hence $\text{gcd}(287, 91) = \text{gcd}(91, 14)$

Now compute $\text{gcd}(287, 91)$ using this method.



Euclid's algorithm

```
// Get absolute value of m and n;  
t1 = Math.abs(m); t2 = Math.abs(n);  
// r is the remainder of t1 divided by t2;  
r = t1 % t2;  
while (r != 0) {  
    t1 = t2;  
    t2 = r;  
    r = t1 % t2;  
}  
  
// When r is 0, t2 is the greatest common  
// divisor between t1 and t2  
return t2;
```



Recursive Euclid

$\text{gcd}(m, n) = n$ if $m \% n = 0$;
 $\text{gcd}(m, n) = \text{gcd}(n, m \% n)$; otherwise;

Exercise: write this as a java method.



Using Recursion

Recursion is good for solving problems that are inherently recursive, and not easily solved iteratively

Spock, Parkinglot, Hanoi

This usually means: more than linear recursive

Multiple recursive calls

All the above have two recursive calls

Linear recursion can be easily replaced by iteration

palindrome, reverse, factorial, binary search, gcd