



COMPUTER SCIENCE DEPARTMENT FACULTY OF  
ENGINEERING AND TECHNOLOGY

## ADVANCED PROGRAMMING COMP2311

Instructor :Murad Njoum  
Office : Masri322

### Chapter 17 Binary I/O


# Objectives

- ❑ To discover how I/O is processed in Java (§17.2).
- ❑ To distinguish between text I/O and binary I/O (§17.3).
- ❑ To read and write bytes using `FileInputStream` and `FileOutputStream` (§17.4.1).
- ❑ To read and write primitive values and strings using `DataInputStream`/`DataOutputStream` (§17.4.3).
- ❑ To read and write the same file using the `RandomAccessFile` class (§17.7).

# How is I/O Handled in Java?

A File object encapsulates the properties of a file or a path, but does not contain the methods for reading/writing data from/to a file. In order to perform I/O, you need to create objects using appropriate Java I/O classes.

```
Scanner input = new Scanner(new File("temp.txt"));  
System.out.println(input.nextLine());
```



```
PrintWriter output = new PrintWriter("temp.txt");  
output.println("Java 101");  
output.close();
```


# Text File vs. Binary File

- ❑ Data stored in a text file are represented in human-readable form.
- ❑ Data stored in a binary file are represented in binary form. You cannot read binary files.
- ❑ Binary files are designed to be read by programs. For example, the Java source programs are stored in text files and can be read by a text editor, but the Java classes are stored in binary files and are read by the JVM.
- ❑ The advantage of binary files is that they are more efficient to process than text files.
- ❑ Although it is not technically precise and correct, you can imagine that a text file consists of a sequence of characters and a binary file consists of a sequence of bits. For example, the decimal integer 199 is stored as the sequence of three characters: '1', '9', '9' in a text file and the same integer is stored as a byte-type value C7 in a binary file, because decimal 199 equals to hex C7.


# Binary I/O

**Text I/O requires encoding and decoding.** The JVM converts a Unicode to a file specific encoding when writing a character and converts a file specific encoding to a Unicode when reading a character.

**Binary I/O does not require conversions.** When you write a byte to a file, the original byte is copied into the file. When you read a byte from a file, the exact byte in the file is returned.




(a)



(b)

# Binary I/O Classes



# InputStream (Abstract Class)

The value returned is a byte as an int type.

<i>java.io.InputStream</i>	
+read(): int	Reads the next byte of data from the input stream. The value byte is returned as an int value in the range <u>0 to 255</u> . If no byte is available because the end of the stream has been reached, the value -1 is returned.
+read(b: byte[]): int	Reads up to b.length bytes into array b from the input stream and returns the actual number of bytes read. Returns -1 at the end of the stream.
+read(b: byte[], off: int, len: int): int	Reads bytes from the input stream and stores into b[off], b[off+1], ..., b[off+len-1]. The actual number of bytes read is returned. Returns -1 at the end of the stream.
+available(): int	Returns the number of bytes that can be read from the input stream.
+close(): void	Closes this input stream and releases any system resources associated with the stream.
+skip(n: long): long	Skips over and discards n bytes of data from this input stream. The actual number of bytes skipped is returned.
+markSupported(): boolean	Tests if this input stream supports the mark and reset methods.
+mark(readlimit: int): void	Marks the current position in this input stream.
+reset(): void	Repositions this stream to the position at the time the mark method was last called on this input stream.

# OutputStream (Abstract Class)

The value is a byte as an int type.

<i>java.io.OutputStream</i>
+ <i>write(int b): void</i>
+ <i>write(b: byte[]): void</i>
+ <i>write(b: byte[], off: int, len: int): void</i>
+ <i>close(): void</i>
+ <i>flush(): void</i>

Writes the specified byte to this output stream. The parameter *b* is an int value. (byte)b is written to the output stream.

Writes all the bytes in array *b* to the output stream.


Writes *b[off]*, *b[off+1]*, ..., *b[off+len-1]* into the output stream.

Closes this output stream and releases any system resources associated with the stream.

Flushes this output stream and forces any buffered output bytes to be written out.



# FileInputStream/FileOutputStream



**FileInputStream/FileOutputStream** associates a binary input/output stream with an external file. All the methods in **FileInputStream/FileOutputStream** are inherited from its superclasses.

# FileInputStream

To construct a `FileInputStream`, use the following constructors:

```
public FileInputStream(String filename)  
public FileInputStream(File file)
```

A `java.io.FileNotFoundException` would occur if you attempt to create a `FileInputStream` with a nonexistent file.

# FileOutputStream


To construct a FileOutputStream, use the following constructors:

```
public FileOutputStream(String filename)
public FileOutputStream(File file)
public FileOutputStream(String filename, boolean append)
public FileOutputStream(File file, boolean append)
```

If the file does not exist, a new file would be created. If the file already exists, the first two constructors would delete the current contents in the file. To retain the current content and append new data into the file, use the last two constructors by passing true to the append parameter.

TestFileStream

# FilterInputStream/FilterOutputStream



**Filter streams are streams that filter bytes for some purpose.** The basic byte **input stream** provides a read method that **can only be used for reading bytes**. If you want to read integers, doubles, or strings, you need a filter class to wrap the byte input stream. Using a filter class enables you to read integers, doubles, and strings instead of bytes and characters.

FilterInputStream and FilterOutputStream are the base classes for filtering data. When you need to process primitive numeric types, use DataInputStream and DataOutputStream to filter bytes.

# What is the output ?

```
public class Example {  
    public static void main(String[] args) throws Exception  
    {  
        FileOutputStream outputStream= new FileOutputStream("out.txt");  
        DataOutputStream dataoutstream=new DataOutputStream(outputStream);  
  
        for (int i = 0; i < 100; i++) {  
            dataoutstream.write(i);  
        }  
        dataoutstream.close();  
        FileInputStream inputStream= new FileInputStream("out.txt");  
        DataInputStream datastream=new DataInputStream(inputStream);  
  
        {  
            datastream.readNBytes(10);  
            datastream.readNBytes(10);  
            System.out.println( Arrays.toString(datastream.readNBytes(10)));  
            //replace with this line . What is the output?  
            //System.out.println( Arrays.toString(datastream.readAllBytes()));  
        }  
    }  
}
```

byte[] b=new byte[100];  
datastream.read(b);  
datastream.read(b,0,50);  
datastream.read(b,50,50);  
System.out.println( Arrays.toString(b));

replaced ?? output??

```
FileOutputStream outputStream= new FileOutputStream("out.txt");
DataOutputStream dataoutstream=new DataOutputStream(outputStream);
for (int i = 0; i < 100; i++) {
    dataoutstream.writeInt(i);
}
dataoutstream.close();
```


```
FileInputStream file= new FileInputStream("out.txt");

try (DataInputStream datastream = new DataInputStream(file)) {
    while (datastream.available() > 0) {
        // Print values
        System.out.println(datastream.readInt());
    }
}

datastream.close();
```

# DataInputStream/DataOutputStream


DataInputStream reads bytes from the stream and converts them into appropriate primitive type values or strings.



**DataOutputStream** **converts** primitive type values or strings into bytes and output the bytes to the stream.

# DataInputStream


`DataStream` **extends** `FilterInputStream` and **implements** the `DataInput` **interface**.





# DataOutputStream

**DataOutputStream** extends **FilterOutputStream** and implements the **DataOutput** interface.



# Characters and Strings in Binary I/O

A Unicode consists of two bytes. The `writeChar(char c)` method writes the Unicode of character `c` to the output. The `writeChars(String s)` method writes the Unicode for each character in the string `s` to the output.

## Why UTF-8? What is UTF-8?

UTF-8 is a coding scheme that allows systems to operate with both ASCII and Unicode efficiently. Most operating systems use ASCII. Java uses Unicode. The ASCII character set is a subset of the Unicode character set. Since most applications need only the ASCII character set, it is a waste to represent an 8-bit ASCII character as a 16-bit Unicode character. The UTF-8 is an alternative scheme that stores a character using 1, 2, or 3 bytes. ASCII values (less than 0x7F) are coded in one byte. Unicode values less than 0x7FF are coded in two bytes. Other Unicode values are coded in three bytes.

# Using DataInputStream/DataOutputStream

Data streams are used as wrappers on existing input and output streams to filter data in the original stream. They are created using the following constructors:

```
public DataInputStream(InputStream instream)
```

```
public DataOutputStream(OutputStream outstream)
```


The statements given below create data streams. The first statement creates an input stream for file **in.dat**; the second statement creates an output stream for file **out.dat**.

```
DataInputStream infile = new DataInputStream(new FileInputStream("in.dat"));
```

```
DataOutputStream outfile = new DataOutputStream(new FileOutputStream("out.dat"));
```

TestDataStream

# Concept of pipeline




# Order and Format

CAUTION: You have to read the data in the same order and same format in which they are stored. For example, since names are written in UTF-8 using writeUTF, you must read names using readUTF.

## Checking End of File

TIP: If you keep reading data at the end of a stream, an EOFException would occur. So how do you check the end of a file? You can use input.available() to check it. input.available() == 0 indicates that it is the end of a file.

# BufferedInputStream/BufferedOutputStream



BufferedInputStream/BufferedOutputStream **does not contain new methods**. All the methods BufferedInputStream/BufferedOutputStream are inherited from the **InputStream/OutputStream** classes.

# Constructing BufferedInputStream/BufferedOutputStream

// Create a BufferedInputStream


```
public BufferedInputStream(InputStream in)
```

```
public BufferedInputStream(InputStream in, int bufferSize)
```

// Create a BufferedOutputStream

```
public BufferedOutputStream(OutputStream out)
```

```
public BufferedOutputStream(OutputStreamr out, int bufferSize)
```



**BufferedInputStream:** support mark

**DataInputStream:** doesn't support mark() method

```
FileOutputStream outputStream= new FileOutputStream("out.txt");
DataOutputStream dataostream=new DataOutputStream(outputStream);
for (int i = 0; i < 100; i++) {
    dataostream.write(i);
}
dataostream.close();
FileInputStream inputStream= new FileInputStream("out.txt");
DataInputStream datastream=new DataInputStream(inputStream);
System.out.println(datastream.markSupported());
    int []b= new int[20];
    datastream.readNBytes(10);
    datastream.mark(10);

    datastream.readNBytes(10);
    datastream.reset();//compiler error, replace DataInputStream with
    BufferedInputStream
```


```
System.out.println( Arrays.toString(datastream.readNBytes(10)));
```



# Case Studies: Copy File

This case study develops a program that copies files. The user needs to provide a source file and a target file as command-line arguments using the following command:

**java Copy source target**



```
C:\book>java Copy Welcome.java Temp.java
Target file Temp.java already exists

C:\book>del Temp.java

C:\book>java Copy Welcome.java Temp.java
The file Welcome.java has 119 bytes
Copy done!

C:\book>java Copy TTT Temp.java
Source file TTT not exist

C:\book>
```

The program copies a source file to a target file and displays the number of bytes in the file. If the source does not exist, tell the user the file is not found. If the target file already exists, tell the user the file already exists.

Copy

```
public class Copy {  
    public static void main(String[] args) throws IOException {  
        // Check command-line parameter usage  
        if (args.length != 2) {  
            System.out.println(  
                "Usage: java Copy sourceFile targetfile");  
            System.exit(1);  
        }  
  
        // Check if source file exists  
        File sourceFile = new File(args[0]);  
        if (!sourceFile.exists()) {  
            System.out.println("Source file " + args[0] + " does not exist");  
            System.exit(2);  
        }  
  
        // Check if target file exists  
        File targetFile = new File(args[1]);  
        if (targetFile.exists()) {  
            System.out.println("Target file " + args[1] + " already exists");  
            System.exit(3);  
        }  
    }  
}
```

```

try (
    // Create an input stream
    BufferedInputStream input =
        new BufferedInputStream(new FileInputStream(sourceFile));

    // Create an output stream
    BufferedOutputStream output =
        new BufferedOutputStream(new FileOutputStream(targetFile));
) {
    // Continuously read a byte from input and write it to output
    int r, numberOfBytesCopied = 0;
    while ((r = input.read()) != -1) {
        output.write((byte)r);
        numberOfBytesCopied++;
    }


    // Display the file size
    System.out.println(numberOfBytesCopied + " bytes copied");
}
}
}

```

# Random Access Files


All of the streams you have used so far are known as *read-only or write-only streams*. The external files of these streams are *sequential* files that cannot be updated without creating a new file. It is often necessary to modify files or to insert new records into files. Java provides the **RandomAccessFile** class to allow a file to be read from and write to at random locations.

# RandomAccessFile



# File Pointer

A **random access** file consists of a sequence of bytes. There is a **special marker called file pointer** that is positioned at one of these bytes. A read or write operation takes place at the location of the file pointer. When a file is opened, the file pointer sets at the beginning of the file. When you read or write data to the file, the file pointer moves forward to the next data. For example, if you read an int value using **readInt()**, the JVM reads four bytes from the file pointer and now the file pointer is four bytes ahead of the previous location.



# RandomAccessFile Methods

Many methods in `RandomAccessFile` are the same as those in `DataInputStream` **and** `DataOutputStream`. For example, `readInt()`, `readLong()`, `writeDouble()`, `readLine()`, `writeInt()`, **and** `writeLong()` can be used in data input stream or data output stream as well as in `RandomAccessFile` streams.

## RandomAccessFile Methods, cont.

```
void seek(long pos) throws IOException;
```

**Sets the offset from the beginning** of the RandomAccessFile stream to where the next read or write occurs.

```
long getFilePointer() throws IOException;
```

Returns the current offset, in bytes, from the **beginning of the file** to where the next read or write occurs.



## RandomAccessFile Methods, cont.

```
long length() IOException
```

Returns the length of the file.

```
final void writeChar(int v) throws IOException
```

Writes a character to the file as a **two-byte Unicode**, with the high byte written first.

```
final void writeChars(String s)  
throws IOException
```

Writes a string to the file as a sequence of characters.

# RandomAccessFile Constructor

```
RandomAccessFile raf =  
    new RandomAccessFile("test.dat", "rw"); // allows read  
    and write
```

```
RandomAccessFile raf =  
    new RandomAccessFile("test.dat", "r"); // read only
```

# A Short Example on RandomAccessFile

```
import java.io.*;

public class TestRandomAccessFile {
    public static void main(String[] args) throws IOException {
        try ( RandomAccessFile inout = new RandomAccessFile("inout.dat", "rw");
        ) {
            // Clear the file to destroy the old contents if exists
            inout.setLength(0);

            // Write new integers to the file
            for (int i = 0; i < 200; i++)
                inout.writeInt(i);

            // Display the current length of the file
            System.out.println("Current file length is " + inout.length());

            // Retrieve the first number
            inout.seek(0); // Move the file pointer to the beginning
            System.out.println("The first number is " + inout.readInt());

            // Retrieve the second number
            inout.seek(1 * 4); // Move the file pointer to the second number
            System.out.println("The second number is " + inout.readInt());
        }
    }
}
```

```

// Retrieve the tenth number
    inout.seek(9 * 4); // Move the file pointer to the tenth number
    System.out.println("The tenth number is " + inout.readInt());

// Modify the eleventh number
    inout.writeInt(555);

// Append a new number
    inout.seek(inout.length()); // Move the file pointer to the end
    inout.writeInt(999);

// Display the new length
    System.out.println("The new length is " + inout.length());

// Retrieve the new eleventh number
    inout.seek(10 * 4); // Move the file pointer to the eleventh number
    System.out.println("The eleventh number is " + inout.readInt());
}
}
}

```