Software Engineering (COMP433)

Introduction

Location: ; Time: s1: Monday & Wednesday:11:25-12:40 [Masri204/ALSADIK406] s3: Tuesday & Thursday:12:50-14:05 [PNH403]

> Prof. Dr. Adel Taweel ataweel@birzeit.edu

> > web-page: http://

Why Software Engineering?

- Software development is Complex!
- Important to distinguish "small" systems (one developer, one user, experimental use only) from "Complex" systems (multiple developers, multiple users, products)
- Experience with "small" systems is misleading
 - One person techniques do not scale up
- Analogy with bridge building:
 - A bridge over a stream = easy, one person job
 - A bridge over a River ... ? (the techniques do not scale)

Why Software Engineering ?

The problem is *complexity*

Complexity depends on <u>many factors</u>, but *size* is a key factor:


UNIX:

v 1 (1971) contains 10,000 lines of code v 10 (1989) contains 4 million lines of code

Windows:


Windows 2000 contains 100 million lines of code Windows 7 contains 39.3 million lines of code (?)

Why Software Engineering ?




Why Software Engineering?

Complexity increases as Size increases!



© Prof. Adel Taweel 2021 **DENTS-HUB.com**

Why Software Engineering ?



Teaching method

- Lectures (~ 3hrs per week)
- Independent Student Reading
- Practical work (a group project)
- Tutorials (in lectures) Analytical/ Cognitive Analysis

----- Course Assessment ------


10%


50%

- In-class exercises
- Group Project/Individual 40%
- Group Project/Group

Recommended Course Textbooks

- Sommerville I. (2010) **Software Engineering** 9th Edition, Addison-Wesley, Harlow, Essex, UK (6th, 7th, or 8th would suffice)
- Bruegge and Dutoit, *Object-Oriented Software Engineering Using UML, Patterns, and Java*, Prentice Hall 3rd Edition
- Stevens P. with Pooley, R. (2005) Using UML: Software Engineering with Objects and Components, 2nd Ed., Addison-Wesley, Harlow, Essex, UK
- Jeffrey A. Hoffer, Joey F. George, Joseph S. Valacich. (2005) *Modern System Analysis and Design* 4th - 6th Edition, Prentice Hall.
- Roger Pressman (2014), **Software Engineering: A Practitioner's Approach** 6-8th Edition, McGraw-Hill.






What is the difference between software engineering and computer science?

Computer Science	Software Engineering	
is conc	erned with	
theory fundamentals	Understanding domain challenges the practicalities of developing and delivering useful quality software	
Algorithms, date structures, complexity theory, numerical methods	SE deals with practical problems in complex software products	

Computer science theories are currently *insufficient* to act as a complete underpinning for software engineering, BUT they provide a foundation for practical aspects of software engineering

Software Engineering Body of Knowledge




Source: http://www.sei.cmu.edu/pub/documents/99.reports/pdf/99tr004.pdf

© Prof. Adel Taweel 2021 STUDENTS-HUB.com

SE history

- SE introduced first in 1968
 - conference about "software crisis"- when the introduction of third generation computer hardware led to developing more complex software systems than before
- Early approaches, based on informal methodologies, led to
 - Delays in software delivery
 - **Higher costs** than initially estimated
 - o Unreliable, difficult to maintain software
- Thus, there is a need for new methods and techniques to manage the production of complex software, ones that consider the *intangible* nature of software as a product.

Does adding more people resolve the delay in software delivery?



Due to sequential constraints the relationship will not be linear

Fred Brook, Hypothetical Man month,

COMP433: Software Engineering Uploaded By: anonymous

Software myths

• Management myths

- Standards and procedures for building software exist
- Add more programmers if behind schedule

• Customer myths

- A general description of objectives enough to start coding
- Requirements may change as software is flexible

• Practitioner myths

- Task accomplished when the program works
- Quality assessment when the program is running
- o *"Working program" the only project deliverable*

Why Software Engineering?

Why do we need Software Engineering? Software failures

Software failures

- Therac-25 (1985-1987): six people overexposed during treatments for cancer
- **Taurus (1993)**: the planned automatic transaction settlement system for London Stock Exchange cancelled after five years of development
- Ariane 5 (1996): rocket exploded soon after its launch due error conversion (16 floating point into 16-bit integer)
- The Mars Climate Orbiter assumed to be lost by NASA officials (1999): different measurement systems (Imperial and metric)

More Software failures

- **Passport System** delays cause backlog (1999, UK)
- Ferry Company left thousands of lorries stranded for 12 hours (back up also failed, 1999, UK)
- Inland Revenue (IR) 'losing tax records' (2000, UK)
 => IR spokesman said 'All major IT initiatives have some kind of teething problems'
 - => Guardian (20 July 2000) 'At the centre of the crisis are two computer systems Files appear to have gone missing somewhere between the two'
- General Motors Ford Cars (2016, USA + Worldwide): A "software bug" that may cause human safety, 4.5M cars recalled.

Even More Software failures

In 1995 annual US spending on software projects reached 250 billion dollars

This involved some 175,000 projects

Of this spend: Overspend cost 59 billion dollars Cancelled projects cost 81 billion dollars

Software Failures

Why does a software system fail? Causes of software failure


Causes of Software Failure

Many factors can cause software failure, however, there are some general causes, including:

-Undetected bugs! -Co-evolution of software -Costs factors -Risk factors

Greater complexity= greater changes = potential errors!

Causes: Bugs




Bugs: the later detected, the higher cost to fix

COMP433: Software Engineering Uploaded By: anonymous

Phase In Which Error Detected

© Prof. Adel Taweel 2021 STUDENTS-HUB.com

Causes: IT System co-evolution- eternal loop





System Development.

TOTAL	100
System Test	12
Documentation	6
Integration Test	13
Unit Test	24
Coding	13
Software Design	12
Software Requirements	10
Hardware Requirements	8
System Requirements	

Causes: But total Costs

Pre-Delivery

 System Development 	100
- Installation	<u>15</u>

Post-Delivery - Maintenance

_	Defect Removal	60

- Environmental Changes 60
- Enhancements 180

TOTAL	<u>415</u>
IOTAL	<u> </u>

What Do Coders Actually Do?

Reading Code (Code Reviewing)	16%
Job Communications	<u>25%</u>
Personal & Business Calls	<u>9%</u>
Training	<u>6%</u>
Electronic Mail	9%
Surfing The Web	9%
Other	<u>13%</u>
Writing Code	<u>13%</u>

 Initial writing code is 13% of 100/415 of 13% of development.
 >THUS CODING IS ONLY 0.004 of TOTAL DEVELOPMENT COST

Risk Factors: DELPHI Study

rof. Adel	Taweel 2021 25	COMP433: Software Engine	e
	4 organisation factors 🐥 6 requirements 🔶	1 new technology 🔺	
5	Conflicts between end user departments.	•	
6	Insufficient staffing.	*	
6	Introduction to new technology.	10 = most important	
6.5	Lack of frozen requirements.	1 = less important	
6.5	Lack of required skills in the development project.	*	
6.5	Change of scope of the project.	•	
7	Failure to manage end user expectation.	•	
7.5	Lack of adequate user involvement.	•	
8	Misunderstanding the requirements.	•	
8	Failure to gain user commitment.	*	
9.5	Lack of top management commitment to the project.	.	

Uploaded By: anonym

(C)

TS-HUB.com

ST



Did software engineering overcome these issues?

Software Engineering: Progress

Important progress in Software Engineering:

- Ability to produce more **complex** software has increased
- New technologies have led to new SE approaches
- A better understanding of the **activities** involved in software development
- Effective **methods** to specify, design and implement software have been developed
- New **notations** and **tools** have been produced

What is a software process?

Software Process (SP) is a set of activities whose goal is the development or evolution of software

Fundamental activities in all software processes are:
Specification - what the system should do and its development constraints
Development - production of the software system (design and implementation)
Validation - checking that the software is what the customer wants
Evolution - changing the software in response to changing demands

What is a Software Process Model (SPM)?

SPM is a simplified representation of a software process, presented from a specific perspective

- Examples of process perspectives: Workflow perspective represents inputs, outputs and dependencies Data-flow perspective represents data transformation activities Role/action perspective represents the roles/activities of the people involved in software process
- Generic process models
 - Waterfall
 - Evolutionary development (commonly known as agile)
 - **o** Formal transformation
 - Reuse-oriented: Integration from reusable components

What are the costs of software engineering?

- Roughly 60% of costs are development costs, 40% are testing costs. For custom software, evolution costs often exceed development costs
- **Costs vary depending on the type of system** being developed **and the requirements** of system attributes, for example for high system performance and reliability costs can be high.

Distribution of costs depends on the development model that is used

What is CASE ? (Computer-Aided Software Engineering)

Software systems which are intended to provide automated support for software process activities, such as requirements analysis, system modelling, debugging and testing

Upper-CASE

Tools to support the early process requirements and design

Lower-CASE



Tools to support later activities such as programming, debugging and testing

Software Engineering ...

Software Characteristics

Does software have special characteristics?

Software versus Program

Do "software" or "program" mean the same?

- Program: a set of instructions written in a particular programming language for a specific purpose
- **Software**: a combination of program(s), documentation (<u>development documents</u>) and <u>operating procedure documents</u> (provided to customers at the time of release).

Software versus Program

Development Documents, include:


- Software Requirements and Specification document
- Software Design Document
- Test plan document
- Test suite document
- Source code etc.

Operating Procedure Documents, include:

- Installation manual
- System administration manual
- Beginner's guide tutorial
- System overview
- Reference guide etc.

Software is intangible and does not wear out?


Normal tangible Products life-cycle phases.



Do all these phases apply to software?

© Prof. Adel Taweel 2021 STUDENTS-HUB.com

Software is Reusable!



Time

What are the attributes of good software?

The software should deliver the required functionality and performance to the user and should be maintainable, dependable and usable

• Maintainability

- Software must be able evolve to meet changing needs with minimal effort and time
- Dependability
 - Software must be trustworthy
- Efficiency
 - Software should not make wasteful use of system resources
- Acceptability and Usability
 - Software must be acceptable and usable by the users for the purpose it was designed for.

What are the key challenges that are still facing software engineering?

Software engineering in the 22st century still faces three key challenges:

• Legacy systems

- Old, valuable systems must be maintained and updated Ο
- However can these systems be kept functional? how newly developed systems can work or interoperate with these old systems? Ο

- Increasing Diversity and Heterogeneity Systems are distributed and include a mix of different hardware and software
 - How software systems could be developed to Ο work in heterogéneous environments

Dependability and Delivery

 Having trustworthy software with faster delivery of software product (time-to-market)
 How to achieve a trustworthy system?





Software Processes