



TRANSACTIONS MANAGEMENT

Dr. Ahmad Abusnaina
Birzeit University
Department of Computer Sciences

TRANSACTION

- A transaction can be defined as a group of tasks. A single task is the minimum processing work which cannot be divided further.
- Let's take an example of a simple transaction. Suppose a bank employee transfers JOD 500 from A's account to B's account.
- This very simple and small transaction involves several low-level tasks.

TRANSACTION

○ **A's Account**

Open_Account(A)

Old_Balance = A.balance

New_Balance = Old_Balance - 500

A.balance = New_Balance

Close_Account(A)

○ **B's Account**

Open_Account(B)

Old_Balance = B.balance

New_Balance = Old_Balance + 500

B.balance = New_Balance

Close_Account(B)

TRANSACTION

- A transaction is the DBMS's abstract view of a user program (or activity):
 - A sequence of reads and writes of database objects.
 - Unit of work that must commit or abort as an atomic unit.
 - A user's program may carry out many operations on the data retrieved from the database, but the DBMS is only concerned about what data is read/written from/to the database.
 - Transaction Manager controls the execution of transactions.

ACID PROPERTIES

- A transaction is a very small unit of a program and it may contain several low-level tasks.
- A transaction in a database system must maintain four properties:
 - Atomicity,
 - Consistency,
 - Isolation,
 - Durability
- Commonly known as **ACID** properties – in order to ensure:
 - accuracy,
 - completeness,
 - data integrity.

ATOMIC

- The execution of each transaction has to be atomic
- Either all actions are carried out or none
- There must be no state in a database where a transaction is left partially completed.
- The user should not worry about the effect of incomplete transactions.

CONSISTENCY

- The database must remain in a consistent state after any transaction.
- No transaction should have any adverse effect on the data residing in the database.
- If the database was in a consistent state before the execution of a transaction, it must remain consistent after the execution of the transaction as well.

ISOLATION

- In a database system where more than one transaction are being executed simultaneously and in parallel,
- Transactions are isolated or protected from the effects of concurrently scheduling other transactions
- Every transaction is an independent entity. One transaction should not affect any other transaction running at the same time.
- All the transactions will be carried out and executed as if it is the only transaction in the system.

DURABILITY


- Once the DBMS informs the user that the transaction has been successfully completed:
 - Its effects should be permanent even if the system crashes before changes are reflected to disk.
- If a transaction updates a chunk of data in a database and commits, then the database will hold the modified data.
- If a transaction commits but the system fails before the data could be written on to the disk, then that data will be updated once the system springs back into action.

- A transaction ends in one of two ways:
 - Commit after completing all actions
 - Abort after executing some actions
 - System crash while the transaction is in progress.

- DBMS ensures the above states by logging all actions:
 - Undo the actions of aborted/failed transactions
 - Redo actions of committed transactions not yet propagated to disk when system crashes.

- The DBMS must find a way to clean up partial transactions
- The DBMS uses **Log Files**
- Keeping in it all the changes made to the database
- It is also used for durability

STATES OF TRANSACTION



TRANSACTIONS AND SCHEDULES

- A transaction is seen by DBMS as a series of actions.....read and write
- RT(O) : transaction reading an object from DB
- WT(O) : transaction writing an object to DB
- Abort T : action of a transaction aborting
- CommitT : action of transaction committing

- **A schedule:** is a list of actions of reading, writing, aborting or committing from a set of transactions with the same order as when the transactions are in the origin transaction
- Vertical axis's is the time

- A **complete schedule** must include all actions of all transactions appearing in it
- **Serial schedule** is the one that transactions in it are not interleaved
- Refer to figure 16.1

$T1$	$T2$
$R(A)$	
$W(A)$	
	$R(B)$
	$W(B)$
$R(C)$	
$W(C)$	

Figure 18.1 A Schedule Involving Two Transactions

CONCURRENT EXECUTION OF TRANSACTIONS

- The DBMS interleaves the actions of different transactions to improve performance
- But not all interleaves should be allowed

MOTIVATION FOR CONCURRENT EXECUTION

- **First**: while one transaction is waiting for page reading from disk, the CPU can process another transaction . **Fast**
- **Second**: interleaved execution of a short transaction with a long transaction usually allows the short transaction to complete quickly.
 - In serial execution, the short transaction will have to wait. Short could stuck behind long transaction.
- **Increase system throughput and response time.**

SERIALIZABILITY

- **A serializable schedule:** over a set of a committed transaction has the effect of the database to be the same as some complete serial schedule

Dr. Ahmad Abusnaina

ANOMALIES DUE TO INTERLEAVED EXECUTION

- Two actions on the same data object may **conflict** if at least one of them is a **write**

- ❖ WR
- ❖ RW
- ❖ WW

READING UNCOMMITTED DATA

WR CONFLICT

- A transaction T2 could read a database object A that has been modified by T1, but not yet committed
- We call it *Dirty Read*

T1	T2
R(A)	
W(A)	
	R(A)
	W(A)
	R(B)
	W(B)
	Commit
R(B)	
W(B)	
Commit	

Dr. Ahmad Abusnaina

Figure 18.2 Reading Uncommitted Data

UNREPEATABLE READS

RW CONFLICT

- T2 change the value of an object A that has been read by T1 while T1 is still in progress
- If T1 tries to read A another time it will be different!

T1
R(A)

T2

R(A)
W(A)
Commit

R(A)
W(A)
Commit

OVERWRITING UNCOMMITTED DATA

WW CONFLICT

- T2 could overwrites object A which has already been modified by T1, while T1 is still in progress.

T1

W(A)

W(B)

Commit

T2

W(A)

W(B)

Commit

Dr. Ahmad Abusnaina

UNRECOVERABLE SCHEDULE

- In case of aborted transaction, the system make rollback (undo), so the effect of T2 will be lost.

T1

R(A)

W(A)

Abort

T2

R(A)

W(A)

Commit

LOCK-BASED CONCURRENCY CONTROL

- A locking protocol is a set of rules to be followed by each transaction to ensure that, even though actions of several transactions might be interleaved, the net effect is identical to executing all transactions in serial order.
- To avoid previous conflicts

STRICT TWO-PHASE LOCKING (STRICT 2PL) PROTOCOL

- Each transaction must obtain an S (shared) lock on object before reading, and an X (exclusive) lock on object before writing.
- Lock rules:
 - If an T holds an X lock on an object, no other T can acquire a lock (S or X) on that object;
 - If an T holds an S lock, no other T can get an X lock on that object.

STRICT 2PL

T1

S(A)

R(A)

X(C)

R(C)

W(C)

Commit

T2

S(A)

R(A)

X(B)

W(B)

Commit

DEAD LOCK

- In a multi-process system, deadlock is an unwanted situation that arises in a shared resource environment, where a process indefinitely waits for a resource that is held by another process.
- For example, assume a set of transactions $\{T_0, T_1, T_2\}$.
 - T_0 needs a resource X to complete its task.
 - Resource X is held by T_1 , and T_1 is waiting for a resource Y, which is held by T_2 .
 - T_2 is waiting for resource Z, which is held by T_0 .
 - Thus, all the transactions wait for each other to release resources.
 - In this situation, none of the transactions can finish their task.
This situation is known as a deadlock.

DEAD LOCK

- Deadlocks are not healthy for a system. In case a system is stuck in a deadlock, the transactions involved in the deadlock are either rolled back or restarted.
- Deadlock Detection: many, one of them is timeout mechanism.
- Deadlock Prevention: If DBMS finds that a deadlock situation might occur, then that transaction is never allowed to be executed.