



COMP231

Advanced Programming

Chapter 4+10 Strings

Compiled By: Dr. Majdi Mafarja
Fall Semester 2017/2018

The String Class

- ❑ Constructing a String:


```
String message = "Welcome to Java";
String message = new String("Welcome to Java");
String s = new String();
```
- ❑ Obtaining String length and Retrieving Individual Characters in a string
- ❑ String Concatenation (concat)
- ❑ Substrings (substring(index), substring(start, end))
- ❑ Comparisons (equals, compareTo)
- ❑ String Conversions
- ❑ Finding a Character or a Substring in a String
- ❑ Conversions between Strings and Arrays
- ❑ Converting Characters and Numeric Values to Strings



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

2

Constructing Strings

```
String newString = new String(stringLiteral);
```

```
String message = new String("Welcome to Java");
```

Since strings are used frequently, Java provides a shorthand initializer for creating a string:

```
String message = "Welcome to Java";
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

3

Strings Are Immutable

A String object is immutable; its contents cannot be changed.
Does the following code change the contents of the string?

```
String s = "Java";  
s = "HTML";
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

4


animation

Trace Code


```
String s = "Java";
```

```
s = "HTML";
```

After executing `String s = "Java";`



After executing `s = "HTML";`



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

5


animation

Trace Code


```
String s = "Java";
```

```
s = "HTML";
```

After executing `String s = "Java";`



After executing `s = "HTML";`



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

6

Interned Strings

Since strings are immutable and are frequently used, to improve efficiency and save memory, the JVM uses a unique instance for string literals with the same character sequence. Such an instance is called *interned*. For example, the following statements:




Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

7

Examples

```
String s1 = "Welcome to Java";
String s2 = new String("Welcome to Java");
String s3 = "Welcome to Java";

System.out.println("s1 == s2 is " + (s1 == s2));
System.out.println("s1 == s3 is " + (s1 == s3));
```



display

s1 == s is false

s1 == s3 is true

A new object is created if you use the new operator.

If you use the string initializer, no new object is created if the interned object is already created.




Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

8

animation

Trace Code

```
String s1 = "Welcome to Java";
String s2 = new String("Welcome to Java");
String s3 = "Welcome to Java";
```





Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

9

Trace Code

```
String s1 = "Welcome to Java";
String s2 = new String("Welcome to Java");
String s3 = "Welcome to Java";
```




Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

10

Trace Code

```
String s1 = "Welcome to Java";
String s2 = new String("Welcome to Java");
String s3 = "Welcome to Java";
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

11

Simple Methods for **String** Objects

Method	Description
<code>length()</code>	Returns the number of characters in this string.
<code>charAt(index)</code>	Returns the character at the specified index from this string.
<code>concat(s1)</code>	Returns a new string that concatenates this string with string s1.
<code>toUpperCase()</code>	Returns a new string with all letters in uppercase.
<code>toLowerCase()</code>	Returns a new string with all letters in lowercase.
<code>trim()</code>	Returns a new string with whitespace characters trimmed on both sides.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

12

Simple Methods for **String** Objects

Strings are objects in Java. The methods in the preceding table can only be invoked from a ***specific string instance***. For this reason, these methods are called ***instance methods***. A non-instance method is called a *static method*. A static method can be invoked without using an object. All the methods defined in the **Math** class are static methods. They are not tied to a specific object instance. The syntax to invoke an instance method is

referenceVariable.methodName(arguments).



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

13

Getting String Length


```
String message = "Welcome to Java";  
System.out.println("The length of " + message + " is "  
    + message.length());
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

14

Getting Characters from a String



```
String message = "Welcome to Java";
```

```
System.out.println("The first character in message is "
    + message.charAt(0));
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

15

Converting Strings

"Welcome".toLowerCase() returns a new string, welcome.

"Welcome".toUpperCase() returns a new string,
WELCOME.

" Welcome ".trim() returns a new string, Welcome.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

16

String Concatenation

```
String s3 = s1.concat(s2); or String s3 = s1 + s2;
```

```
// Three strings are concatenated
```

```
String message = "Welcome " + "to " + "Java";
```

```
// String Chapter is concatenated with number 2
```

```
String s = "Chapter" + 2; // s becomes Chapter2
```

```
// String Supplement is concatenated with character B
```

```
String s1 = "Supplement" + 'B'; // s1 becomes SupplementB
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

17

Reading a String from the Console

```
Scanner input = new Scanner(System.in);
```

```
System.out.print("Enter three words separated by spaces: ");
```

```
String s1 = input.next();
```

```
String s2 = input.next();
```

```
String s3 = input.next();
```

```
System.out.println("s1 is " + s1);
```

```
System.out.println("s2 is " + s2);
```

```
System.out.println("s3 is " + s3);
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

18

Reading a Character from the Console

```
Scanner input = new Scanner(System.in);
System.out.print("Enter a character: ");
String s = input.nextLine();
char ch = s.charAt(0);
System.out.println("The character entered is " + ch);
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

19

Comparing Strings

Method	Description
<code>equals(s1)</code>	Returns true if this string is equal to string <code>s1</code> .
<code>equalsIgnoreCase(s1)</code>	Returns true if this string is equal to string <code>s1</code> ; it is case insensitive.
<code>compareTo(s1)</code>	Returns an integer greater than 0, equal to 0, or less than 0 to indicate whether this string is greater than, equal to, or less than <code>s1</code> .
<code>compareToIgnoreCase(s1)</code>	Same as <code>compareTo</code> except that the comparison is case insensitive.
<code>startsWith(prefix)</code>	Returns true if this string starts with the specified prefix.
<code>endsWith(suffix)</code>	Returns true if this string ends with the specified suffix.



OrderTwoCities


Run

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

20

Obtaining Substrings

Method	Description
<code>substring(beginIndex)</code>	Returns this string's substring that begins with the character at the specified <code>beginIndex</code> and extends to the end of the string, as shown in Figure 4.2.
<code>substring(beginIndex, endIndex)</code>	Returns this string's substring that begins at the specified <code>beginIndex</code> and extends to the character at index <code>endIndex - 1</code> , as shown in Figure 9.6. Note that the character at <code>endIndex</code> is not part of the substring.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

21

Finding a Character or a Substring in a String


Method	Description
<code>indexOf(ch)</code>	Returns the index of the first occurrence of <code>ch</code> in the string. Returns <code>-1</code> if not matched.
<code>indexOf(ch, fromIndex)</code>	Returns the index of the first occurrence of <code>ch</code> after <code>fromIndex</code> in the string. Returns <code>-1</code> if not matched.
<code>indexOf(s)</code>	Returns the index of the first occurrence of string <code>s</code> in this string. Returns <code>-1</code> if not matched.
<code>indexOf(s, fromIndex)</code>	Returns the index of the first occurrence of string <code>s</code> in this string after <code>fromIndex</code> . Returns <code>-1</code> if not matched.
<code>lastIndexOf(ch)</code>	Returns the index of the last occurrence of <code>ch</code> in the string. Returns <code>-1</code> if not matched.
<code>lastIndexOf(ch, fromIndex)</code>	Returns the index of the last occurrence of <code>ch</code> before <code>fromIndex</code> in this string. Returns <code>-1</code> if not matched.
<code>lastIndexOf(s)</code>	Returns the index of the last occurrence of string <code>s</code> . Returns <code>-1</code> if not matched.
<code>lastIndexOf(s, fromIndex)</code>	Returns the index of the last occurrence of string <code>s</code> before <code>fromIndex</code> . Returns <code>-1</code> if not matched.

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

22

Finding a Character or a Substring in a String

```
int k = s.indexOf(' ');
String firstName = s.substring(0, k);
String lastName = s.substring(k + 1);
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

23

Conversion between Strings and Numbers

```
int intValue = Integer.parseInt(intString);
double doubleValue = Double.parseDouble(doubleString);
```

```
String s = number + "";
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

24

Formatting Output

Use the printf statement.

```
System.out.printf(format, items);
```

Where format is a string that may consist of substrings and format specifiers. A format specifier specifies how an item should be displayed. An item may be a numeric value, character, boolean value, or a string. Each specifier begins with a percent sign.




Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

25

Frequently-Used Specifiers

Specifier	Output	Example
%b	a boolean value	true or false
%c	a character	'a'
%d	a decimal integer	200
%f	a floating-point number	45.460000
%e	a number in standard scientific notation	4.556000e+01
%s	a string	"Java is cool"

```
int count = 5;
double amount = 45.56;
System.out.printf("count is %d and amount is %f", count, amount);
```



display count is 5 and amount is 45.560000

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

26

String Format

```

☞ System.out.printf ("%s = %d",
    "Ahmad", 19);
☞ String output = String.format ("%s
    = %d", "Ahmad", 19);
☞ String.format ("| %20d |", 93);
    // prints: |                93 |
☞ String.format ("| %-20d |", 93);
    // prints: |93                |

```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

27

FormatDemo

The example gives a program that uses **printf** to display a table.

FormatDemo

Run



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

28

Replacing and Splitting Strings

java.lang.String
+replace(oldChar: char, newChar: char): String
+replaceFirst(oldString: String, newString: String): String
+replaceAll(oldString: String, newString: String): String
+split(delimiter: String): String[]

Returns a new string that replaces all matching character in this string with the new character.

Returns a new string that replaces the first matching substring in this string with the new substring.

Returns a new string that replace all matching substrings in this string with the new substring.

Returns an array of strings consisting of the substrings split by the delimiter.



Examples

"Welcome".replace('e', 'A') returns a new string, WAlcomA.

"Welcome".replaceFirst("e", "AB") returns a new string, WABlcome.

"Welcome".replace("e", "AB") returns a new string, WABlcomAB.

"Welcome".replace("el", "AB") returns a new string, WABcome.



Splitting a String

```
String[] tokens = "Java#HTML#Perl".split("#", 0);
for (int i = 0; i < tokens.length; i++)
    System.out.print(tokens[i] + " ");
```

displays

Java HTML Perl



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

31

Matching, Replacing and Splitting by Patterns

You can match, replace, or split a string by specifying a pattern. This is an extremely useful and powerful feature, commonly known as *regular expression*. Regular expression is complex to beginning students. For this reason, two simple patterns are used in this section. Please refer to Supplement III.F, “Regular Expressions,” for further studies.

```
"Java".matches("Java");
```

```
"Java".equals("Java");
```

```
"Java is fun".matches("Java.*");
```

```
"Java is cool".matches("Java.*");
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

32

Matching, Replacing and Splitting by Patterns

The `replaceAll`, `replaceFirst`, and `split` methods can be used with a regular expression. For example, the following statement returns a new string that replaces `$`, `+`, or `#` in `"a+b$#c"` by the string `NNN`.

```
String s = "a+b$#c".replaceAll("[$+#]", "NNN");
System.out.println(s);
```

Here the regular expression `[$+#]` specifies a pattern that matches `$`, `+`, or `#`. So, the output is `aNNNbNNNNNNc`.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

33

Matching, Replacing and Splitting by Patterns

The following statement splits the string into an array of strings delimited by some punctuation marks.

```
String[] tokens = "Java,C?C#,C++".split("[.,:;?]");

for (int i = 0; i < tokens.length; i++)
    System.out.println(tokens[i]);
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

34

Convert Character and Numbers to Strings

The `String` class provides several static `valueOf` methods for converting a character, an array of characters, and numeric values to strings. These methods have the same name `valueOf` with different argument types `char`, `char[]`, `double`, `long`, `int`, and `float`. For example, to convert a double value to a string, use `String.valueOf(5.44)`. The return value is string consists of characters `'5'`, `'.'`, `'4'`, and `'4'`.

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

35

StringBuilder and StringBuffer

The `StringBuilder`/`StringBuffer` class is an alternative to the `String` class. In general, a `StringBuilder`/`StringBuffer` can be used wherever a string is used. `StringBuilder`/`StringBuffer` is more flexible than `String`. You can add, insert, or append new contents into a string buffer, whereas the value of a `String` object is fixed once the string is created.

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

36

StringBuilder Constructors

java.lang.StringBuilder

+StringBuilder()

Constructs an empty string builder with capacity 16.

+StringBuilder(capacity: int)

Constructs a string builder with the specified capacity.

+StringBuilder(s: String)

Constructs a string builder with the specified string.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

37

Modifying Strings in the Builder

java.lang.StringBuilder

+append(data: char[]): StringBuilder

Appends a char array into this string builder.

+append(data: char[], offset: int, len: int):
StringBuilder

Appends a subarray in data into this string builder.

+append(v: *aPrimitiveType*): StringBuilder

Appends a primitive type value as a string to this builder.

+append(s: String): StringBuilder

Appends a string to this string builder.

+delete(startIndex: int, endIndex: int):
StringBuilder

Deletes characters from startIndex to endIndex.

+deleteCharAt(index: int): StringBuilder

Deletes a character at the specified index.

+insert(index: int, data: char[], offset: int,
len: int): StringBuilder

Inserts a subarray of the data in the array to the builder at the specified index.

+insert(offset: int, data: char[]):
StringBuilder

Inserts data into this builder at the position offset.

+insert(offset: int, b: *aPrimitiveType*):
StringBuilder

Inserts a value converted to a string into this builder.

+insert(offset: int, s: String): StringBuilder

Inserts a string into this builder at the position offset.

+replace(startIndex: int, endIndex: int, s:
String): StringBuilder

Replaces the characters in this builder from startIndex to endIndex with the specified string.

+reverse(): StringBuilder

Reverses the characters in the builder.

+setCharAt(index: int, ch: char): void

Sets a new character at the specified index in this builder.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

38

Examples

```

stringBuilder.append("Java");
stringBuilder.insert(11, "HTML and ");
stringBuilder.delete(8, 11) changes the builder to Welcome
Java.
stringBuilder.deleteCharAt(8) changes the builder to
Welcome o Java.
stringBuilder.reverse() changes the builder to avaJ ot
emocleW.
stringBuilder.replace(11, 15, "HTML")
    changes the builder to Welcome to HTML.
stringBuilder.setCharAt(0, 'w') sets the builder to welcome
to Java.

```




Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

39

The toString, capacity, length, setLength, and charAt Methods

java.lang.StringBuilder	
+toString(): String	Returns a string object from the string builder.
+capacity(): int	Returns the capacity of this string builder.
+charAt(index: int): char	Returns the character at the specified index.
+length(): int	Returns the number of characters in this builder.
+setLength(newLength: int): void	Sets a new length in this builder.
+substring(startIndex: int): String	Returns a substring starting at startIndex.
+substring(startIndex: int, endIndex: int): String	Returns a substring from startIndex to endIndex-1.
+trimToSize(): void	Reduces the storage size used for the string builder.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

40

Problem: Checking Palindromes Ignoring Non-alphanumeric Characters

This example gives a program that counts the number of occurrence of each letter in a string. Assume the letters are not case-sensitive.

PalindromeIgnoreNonAlphanumeric

Run



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

41

Appendix H

Regular Expressions

A *regular expression* (abbreviated *regex*) is a string that describes a pattern for matching a set of strings. Regular expression is a powerful tool for string manipulations. You can use regular expressions for matching, replacing, and splitting strings.



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

42

Appendix H

Matching Strings

```
"Java".matches("Java");
```

```
"Java".equals("Java");
```

```
"Java is fun".matches("Java.*")
```

```
"Java is cool".matches("Java.*")
```

```
"Java is powerful".matches("Java.*")
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

43

Appendix H

Regular
Expression
Syntax

Regular Expression	Matches	Example
x	a specified character x	Java matches Java
.	any single character	Java matches J..a
(ab cd)	ab or cd	ten matches t(en 1w)
[abc]	a, b, or c	Java matches Ja[uvw]a
[^abc]	any character except a, b, or c	Java matches Ja[^ars]a
[a-z]	a through z	Java matches [A-M]av[a-d]
[^a-z]	any character except a through z	Java matches Jav[^b-d]
[a-e[m-p]]	a through e or m through p	Java matches [A-G[I-M]]av[a-d]
[a-e&&[c-p]]	intersection of a-e with c-p	Java matches [A-P&&[I-M]]av[a-d]
\d	a digit, same as [0-9]	Java2 matches "Java\d"
\D	a non-digit	\$Java matches "[\D][\D]ava"
\w	a word character	Java1 matches "[\w]ava[\w]"
\W	a non-word character	\$Java matches "[\W][\W]ava"
\s	a whitespace character	"Java 2" matches "Java\s2"
\S	a non-whitespace char	Java matches "[\S]Java"
p*	zero or more occurrences of pattern p	aaaabb matches "a*bb" ababab matches "(ab)*"
p+	one or more occurrences of pattern p	a matches "a+b*" <div>able matches "(ab)+,."</div>
p?	zero or one occurrence of pattern p	Java matches "J?Java" Java matches "J?ava"
p{n}	exactly n occurrences of pattern p	Java matches "Ja{1}." <div>Java does not match ".{2}"</div>
p{n,}	at least n occurrences of pattern p	aaaa matches "a{1,}" <div>a does not match "a{2,}"</div>
p{n,m}	between n and m occurrences (inclusive)	aaaa matches "a{1,9}" <div>abb does not match "a{2,9}bb"</div>

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

44

Appendix H

Replacing and Splitting Strings

java.lang.String

+matches(regex: String): boolean

Returns true if this string matches the pattern.

+replaceAll(regex: String,
replacement: String): StringReturns a new string that replaces all
matching substrings with the replacement.+replaceFirst(regex: String,
replacement: String): StringReturns a new string that replaces the first
matching substring with the replacement.

+split(regex: String): String[]

Returns an array of strings consisting of the
substrings split by the matches.

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

45

Appendix H

Examples

```
String s = "Java Java Java".replaceAll("v\\w", "wi");
```

```
String s = "Java Java Java".replaceFirst("v\\w", "wi");
```

```
String[] s = "Java1HTML2Perl".split("\\d");
```



Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All rights reserved.

46