#### LECTURE PRESENTATIONS

#### For CAMPBELL BIOLOGY, NINTH EDITION

Jane B. Reece, Lisa A. Urry, Michael L. Cain, Steven A. Wasserman, Peter V. Minorsky, Robert B. Jackson





### Overview: The Molecule That Supports All of Life

- Water is the biological medium on Earth
- All living organisms require water
- Most cells are surrounded by water, and cells themselves are about 70–95% water


 The abundance of water is the main reason the Earth is habitable



# Concept 3.1: The *polarity* of water molecules results in hydrogen bonding

 The water molecule is a polar molecule: The opposite ends have opposite charges

 Polarity allows water molecules to form <u>hydrogen bonds</u> with each other



### مهم للغاية

# Concept 3.2: Four emergent properties of water contribute to Earth's fitness for life

- Four of water's properties that facilitate an environment for life are:
  - Cohesive behavior
  - Ability to moderate temperature
  - Expansion upon freezing
  - Versatility as a solvent


### **Cohesion**

 Collectively, hydrogen bonds <u>hold water</u> <u>molecules together</u>, a phenomenon called <u>cohesion</u>

Cohesion helps the transport of water against gravity in plants

 Adhesion is an attraction between different substances, for example, between water and plant cell walls

### Water transport in plants.



 Surface tension is a measure of how hard it is to break the surface of a liquid

Surface tension is related to cohesion

### Moderation of Temperature

 Water absorbs heat from warmer air and releases stored heat to cooler air

 Water can absorb or release a large amount of heat with only a slight change in its own temperature

### Heat and Temperature (study alone)

- Kinetic energy is the energy of motion
- Heat is a measure of the total amount of kinetic energy due to molecular motion
- Temperature measures the intensity of heat due to the average kinetic energy of molecules

### Heat and Temperature (study alone)

- The Celsius scale is a measure of temperature using Celsius degrees (°C)
- A calorie (cal) is the amount of heat required to raise the temperature of 1 g of water by 1°C
- The "calories" on food packages are actually kilocalories (kcal), where 1 kcal = 1,000 cal

The joule (J) is another unit of energy where
1 J = 0.239 cal, or 1 cal = 4.184 J

### Water's High Specific Heat

- The specific heat of a substance is the amount of heat that must be absorbed or lost for 1 g of that substance to change its temperature by 1°C
- The specific heat of water is 1 cal/g/°C
- Water resists changing its temperature because of its high specific heat

- Water's high specific heat can be traced to hydrogen bonding
  - Heat is absorbed when hydrogen bonds break
  - Heat is released when hydrogen bonds form
- The high specific heat of water <u>minimizes temperature fluctuations</u> to within limits that permit life

### Evaporative Cooling

Evaporation is transformation of a substance from liquid to gas

 Heat of vaporization is the heat a liquid must absorb for 1 g to be converted to gas

 As a liquid evaporates, its remaining surface cools, a process called


### evaporative cooling

## **Insulation of Bodies of Water by Floating Ice**

 Ice floats in liquid water because hydrogen bonds in ice are more "ordered," making ice less dense

 Water reaches its greatest density at 4°C

 If ice sank, all bodies of water would eventually freeze solid, making life impossible on Earth



### Water: The Solvent of Life

A Solution is a liquid that is a homogeneous mixture of substances

A solvent is the dissolving agent of a solution

The Solute is the substance that is dissolved


An aqueous solution is one in which water is the solvent

Water is a versatile solvent <u>due to</u>


# its polarity, which allows it to form hydrogen bonds easily

 When an ionic compound is dissolved in water, each ion is surrounded by a sphere of water molecules called a hydration shell

Figure 3.7



- Water can also dissolve compounds made of nonionic polar molecules
- Even large polar molecules such as proteins can dissolve in water if they have ionic and polar regions



© 2011 Pearson Education, Inc.

### Hydrophilic and Hydrophobic Substances

A hydrophilic substance is one that has an affinity for water

- A hydrophobic substance is one that does not have an affinity for water
- Oil molecules are hydrophobic because they have relatively nonpolar bonds

 A colloid is a stable suspension of fine particles in a liquid

### Solute Concentration in Aqueous Solutions

Most biochemical reactions occur in water

 Chemical reactions depend on collisions of molecules and therefore on the concentration of solutes in an aqueous solution


- Molecular mass is the sum of all masses of all atoms in a molecule
- Numbers of molecules are usually measured in moles, where 1 mole (mol) = 6.02 x 10<sup>23</sup> molecules
- Avogadro's number and the unit dalton were defined such that 6.02 x 10<sup>23</sup> daltons = 1 g

• Molarity (M) is the number of moles of solute per liter of solution

# Concept 3.3: Acidic and basic conditions affect living organisms

 The <u>hydrogen atom</u> in water molecules may leave its electron behind and transferred as a proton, or hydrogen ion (H<sup>+</sup>)

 Water molecules may lose the proton = hydroxide ion (OH<sup>-</sup>) is formed  Water is in a state of dynamic equilibrium in which water molecules dissociate at the same rate at which they are being reformed



© 2011 Pearson Education, Inc.

### Effects of Changes in pH

 Adding certain solutes, called acids and bases, modifies the concentrations of H<sup>+</sup> and OH<sup>-</sup>

 Biologists use something called the PH SCale to describe whether a solution is acidic or basic (the opposite of acidic)

### Acids and Bases

 An acid is any substance that increases the H<sup>+</sup> concentration of a solution

 A base is any substance that reduces the H<sup>+</sup> concentration of a solution

### The pH Scale

 In any aqueous solution at 25°C the product of H+ and OH<sup>-</sup> is constant and can be written as [H+][OH<sup>-</sup>] = 10<sup>-14</sup>


 The pH of a solution is defined by the negative logarithm of H<sup>+</sup> concentration, written as pH = -log [H<sup>+</sup>]


For a neutral aqueous solution

[H+] is 
$$10^{-7} = -(-7) = 7$$

- Acidic solutions have pH values less than 7
- Basic solutions have pH values greater than 7

 Most biological fluids have pH values in the range of 6 to 8





© 2011 Pearson Education, Inc.

### **Buffers**

 The internal pH of most living cells must remain close to pH 7

 Buffers are substances that minimize changes in concentrations of H<sup>+</sup> and OH<sup>-</sup> in a solution

 Buffers are made either of weak acid + its conjugate base or weak base + its conjugate acid