

## Chapter 44: QUARKS, LEPTONS, AND THE BIG BANG

1. Which of the following particles is stable?
  - A. Neutron
  - B. Proton
  - C. Pion
  - D. Muon
  - E. Kaonans: B
2. The stability of the proton is predicted by the laws of conservation of energy and conservation of:
  - A. momentum
  - B. angular momentum
  - C. baryon number
  - D. lepton number
  - E. strangenessans: C
3. When a kaon decays via the strong interaction the products must include a:
  - A. baryon
  - B. lepton
  - C. strange particle
  - D. electron
  - E. neutrinoans: C
4. A particle with spin angular momentum  $\hbar/2$  is called a:
  - A. lepton
  - B. hadron
  - C. fermion
  - D. boson
  - E. electronans: C
5. A particle with spin angular momentum  $\hbar$  is called a:
  - A. lepton
  - B. hadron
  - C. fermion
  - D. boson
  - E. electronans: D

6. An example of a fermion is a:

- A. photon
- B. pion
- C. neutrino
- D. kaon
- E. none of these

ans: C

7. An example of a boson is a:

- A. photon
- B. electron
- C. neutrino
- D. proton
- E. neutron

ans: A

8. All particles with spin angular momentum  $\hbar/2$ :

- A. interact via the strong force
- B. travel at the speed of light
- C. obey the Pauli exclusion principle
- D. have non-zero rest mass
- E. are charged

ans: C

9. All leptons interact with each other via the:

- A. strong force
- B. weak force
- C. electromagnetic force
- D. strange force
- E. none of these

ans: B

10. An electron participates in:

- A. the strong force only
- B. the strong and weak forces only
- C. the electromagnetic and gravitational forces only
- D. the electromagnetic, gravitational, and weak forces only
- E. the electromagnetic, gravitational, and strong forces only

ans: D

11. Which of the following particles has a lepton number of zero?

- A.  $e^+$
- B.  $\mu^+$
- C.  $\nu_e$
- D.  $\bar{\nu}_\mu$
- E. p

ans: E

12. Which of the following particles has a lepton number of +1?
- A.  $e^+$
  - B.  $\mu^+$
  - C.  $\mu^-$
  - D.  $\bar{\nu}_e$
  - E. p
- ans: C
13.  $\pi^+$  represents a pion (a meson),  $\mu^-$  represents a muon (a lepton),  $\nu_e$  represents an electron neutrino (a lepton),  $\nu_\mu$  and p represents a proton represents a muon neutrino (a lepton). Which of the following decays might occur?
- A.  $\pi^+ \longrightarrow \mu^- + \nu_\mu$
  - B.  $\pi^+ \longrightarrow p + \nu_e$
  - C.  $\pi^+ \longrightarrow \mu^+ + \bar{\nu}_e$
  - D.  $\pi^+ \longrightarrow p + \bar{\nu}_\mu$
  - E.  $\pi^+ \longrightarrow \mu^+ + \nu_\mu$
- ans: E
14. A particle can decay to particles with greater total rest mass:
- A. only if antiparticles are produced
  - B. only if photons are also produced
  - C. only if neutrinos are also produced
  - D. only if the original particle has kinetic energy
  - E. never
- ans: E
15. The interaction  $\pi^- + p \rightarrow \pi^- + \Sigma^+$  violates the principle of conservation of:
- A. baryon number
  - B. lepton number
  - C. strangeness
  - D. angular momentum
  - E. none of these
- ans: C
16. The interaction  $\pi^- + p \rightarrow K^- + \Sigma^+$  violates the principle of conservation of:
- A. baryon number
  - B. lepton number
  - C. strangeness
  - D. angular momentum
  - E. none of these
- ans: E

17. A neutral muon cannot decay into two neutrinos. Of the following conservation laws, which would be violated if it did?
- A. Energy
  - B. Baryon number
  - C. Charge
  - D. Angular momentum
  - E. None of the above
- ans: D
18. A positron cannot decay into three neutrinos. Of the following conservation laws, which would be violated if it did?
- A. Energy
  - B. Baryon number
  - C. Lepton number
  - D. Linear momentum
  - E. Angular momentum
- ans: C
19. Two particles interact to produce only photons, with the original particles disappearing. The particles must have been:
- A. mesons
  - B. strange particles
  - C. strongly interacting
  - D. leptons
  - E. a particle, antiparticle pair
- ans: E
20. Two baryons interact to produce pions only, the original baryons disappearing. One of the baryons must have been:
- A. a proton
  - B. an omega minus
  - C. a sigma
  - D. an antiparticle
  - E. none of these
- ans: D
21. A baryon with strangeness  $-1$  decays via the strong interaction into two particles, one of which is a baryon with strangeness  $0$ . The other might be:
- A. a baryon with strangeness  $0$
  - B. a baryon with strangeness  $+1$
  - C. a meson with strangeness  $-1$
  - D. a meson with strangeness  $+1$
  - E. a meson with strangeness  $0$
- ans: C

22. A baryon with strangeness 0 decays via the strong interaction into two particles, one of which is a baryon with strangeness +1. The other might be:
- A. a baryon with strangeness 0
  - B. a baryon with strangeness +1
  - C. a baryon with strangeness -1
  - D. a meson with strangeness +1
  - E. a meson with strangeness -1
- ans: E
23. In order of increasing strength the four basic interactions are:
- A. gravitational, weak, electromagnetic, and strong
  - B. gravitational, electromagnetic, weak, and strong
  - C. weak, gravitational, electromagnetic, and strong
  - D. weak, electromagnetic, gravitational, and strong
  - E. weak, electromagnetic, strong, and gravitational
- ans: A
24. The two basic interactions that have finite ranges are:
- A. electromagnetic and gravitational
  - B. electromagnetic and strong
  - C. electromagnetic and weak
  - D. gravitational and weak
  - E. weak and strong
- ans: E
25. A certain process produces baryons that decay with a lifetime of  $4 \times 10^{-24}$  s. The decay is a result of:
- A. the gravitational interaction
  - B. the weak interaction
  - C. the electromagnetic interaction
  - D. the strong interaction
  - E. some combination of the above
- ans: D
26. A certain process produces mesons that decay with a lifetime of  $6 \times 10^{-10}$  s. The decay is a result of:
- A. the gravitational interaction
  - B. the weak interaction
  - C. the electromagnetic interaction
  - D. the strong interaction
  - E. some combination of the above
- ans: B

27. Compared to the lifetimes of particles that decay via the weak interaction, the lifetimes of particles that decay via the strong interaction are:
- A.  $10^{-12}$  times as long
  - B.  $10^{-23}$  times as long
  - C.  $10^{24}$  times as long
  - D.  $10^{12}$  times as long
  - E. about the same
- ans: A
28. Strangeness is conserved in:
- A. all particle decays
  - B. no particle decays
  - C. all weak particle decays
  - D. all strong particle decays
  - E. some strong particle decays
- ans: D
29. Different types of neutrinos can be distinguished from each other by:
- A. the directions of their spins
  - B. the leptons with which they interact
  - C. the baryons with which they interact
  - D. the number of photons that accompany them
  - E. their baryon numbers
- ans: B
30. All known quarks have:
- A. charges that are multiples of  $e$  and integer baryon numbers
  - B. charges that are multiples of  $e$  and baryon numbers that are either  $+1/3$  or  $-1/3$
  - C. charges that are multiples of  $e/3$  and integer baryon numbers
  - D. charges that are multiples of  $e/3$  and baryon numbers that are either  $+1/3$  or  $-1/3$
  - E. charges that are multiples of  $2e/3$  and baryon numbers that are either  $+1/3$  or  $-1/3$
- ans: D
31. The baryon number of a quark is:
- A. 0
  - B.  $1/2$
  - C.  $1/3$
  - D.  $2/3$
  - E. 1
- ans: C

32. Quarks are the constituents of:
- A. all particles
  - B. all leptons
  - C. all strongly interacting particles
  - D. only strange particles
  - E. only mesons

ans: C

33. Any meson is a combination of:
- A. three quarks
  - B. two quarks and an antiquark
  - C. one quark and two antiquarks
  - D. one quark and one antiquark
  - E. two quarks

ans: D

34. Any baryon is a combination of:
- A. three quarks
  - B. two quarks and an antiquark
  - C. one quark and two antiquarks
  - D. one quark and one antiquark
  - E. two quarks

ans: A

35. The quark content of a proton is:
- A.  $uuu$
  - B.  $uud$
  - C.  $udd$
  - D.  $ddd$
  - E.  $uds$

ans: B

36. The quark content of a  $\pi^+$  meson is:
- A.  $uu$
  - B.  $u\bar{u}$
  - C.  $ud$
  - D.  $u\bar{d}$
  - E.  $\bar{d}d$

ans: D

37. In terms of quark content a beta decay can be written:
- A.  $udd \rightarrow uud + e^- + \nu$
  - B.  $udd \rightarrow udd + d\bar{d} + \nu$
  - C.  $udd \rightarrow udd + d\bar{d} + e^-$
  - D.  $udd \rightarrow uud + u\bar{d} + \nu$
  - E.  $udd \rightarrow uud + u\bar{d} + e^- + \nu$

ans: A

38. The up quark  $u$  has charge  $+2e/3$  and strangeness 0; the down quark  $d$  has charge  $-e/3$  and strangeness 0; the strange quark  $s$  has charge  $-e/3$  and strangeness  $-1$ . This means there can be no baryon with:
- A. charge 0 and strangeness 0
  - B. charge  $-e$  and strangeness  $-1$
  - C. charge  $+e$  and strangeness  $-1$
  - D. charge  $+e$  and strangeness  $-2$
  - E. charge 0 and strangeness  $+2$
- ans: C
39. The up quark  $u$  has charge  $+2e/3$  and strangeness 0; the down quark  $d$  has charge  $-e/3$  and strangeness 0; the strange quark  $s$  has charge  $-e/3$  and strangeness  $-1$ . This means there can be no meson with:
- A. charge 0 and strangeness  $-1$
  - B. charge  $-e$  and strangeness  $-1$
  - C. charge  $+e$  and strangeness  $-1$
  - D. charge  $+e$  and strangeness  $+1$
  - E. charge 0 and strangeness  $+1$
- ans: C
40. Messenger particles of the electromagnetic interaction are called:
- A. gluons
  - B. photons
  - C. W and Z
  - D. gravitons
  - E. pions
- ans: B
41. Messenger particles of the strong interaction are called:
- A. gluons
  - B. photons
  - C. W and Z
  - D. gravitons
  - E. pions
- ans: A
42. Messenger particles of the weak interaction are called:
- A. gluons
  - B. photons
  - C. W and Z
  - D. gravitons
  - E. pions
- ans: C



43. A down quark can be changed into an up quark (plus other particles perhaps) by
- A. the gravitational interaction
  - B. the electromagnetic interaction
  - C. the weak interaction
  - D. the strong interaction
  - E. none of these
- ans: C
44. The color theory explains why quarks:
- A. form particles in pairs and triplets
  - B. have charge that is a multiple of  $e/3$
  - C. have spin
  - D. have mass
  - E. none of the above
- ans: A
45. Color is carried by:
- A. only quarks
  - B. only leptons
  - C. only quarks and leptons
  - D. only quarks and gluons
  - E. only photons and gluons
- ans: D
46. Hubble's law is evidence that:
- A. the speed of light is increasing
  - B. the universe is expanding
  - C. the Earth is slowing down in its orbit
  - D. galaxies have rotational motion
  - E. none of the above
- ans: B
47. Objects in the universe are receding from us with a speed that is proportional to:
- A. the reciprocal of their distance from us
  - B. the reciprocal of the square of their distance from us
  - C. their distance from us
  - D. the square of their distance from us
  - E. their distance from the center of the universe
- ans: C

48. The velocities of distant objects in the universe indicate that the time elapsed since the big bang is about:
- A.  $10^5$  y
  - B.  $10^{10}$  y
  - C.  $10^{15}$  y
  - D.  $10^{20}$  y
  - E.  $10^{25}$  y
- ans: B
49. The intensity of the microwave background radiation, a remnant of the big bang:
- A. is greatest in directions toward the center of the galaxy
  - B. is least in directions toward the center of the galaxy
  - C. is proportional to the reciprocal of the distance from us
  - D. is proportional to the square of the distance from us
  - E. is nearly the same in all directions
- ans: E
50. As a result of the big bang there is, in addition to the microwave background radiation, a uniform distribution of background:
- A. electrons
  - B. quarks
  - C. gluons
  - D. neutrinos
  - E. atoms
- ans: D
51. Dark matter is suspected to exist in the universe because:
- A. the night sky is dark between stars
  - B. the orbital period of stars in the outer parts of a galaxy is greater than the orbital period of stars near the galactic center
  - C. the orbital period of stars in the outer parts of a galaxy is less than the orbital period of stars near the galactic center
  - D. the orbital period of stars in the outer parts of a galaxy is about the same as the orbital period of stars near the galactic center
  - E. all galaxies have about the same mass
- ans: D
52. If dark matter did not exist it is likely that:
- A. the universe would expand forever
  - B. the universe would begin contracting soon
  - C. the night sky would be brighter
  - D. the night sky would be darker
  - E. we would be able to see the center of the universe
- ans: A