# Chapter 29: Food Preservation & Packaging

STUDENTS-HUB.com

# Introduction

- Food preservation is the process of treating and handling food to stop or slow down spoilage
  - (loss of quality, edibility or nutritional value)
    - and thus allow for longer storage.

# Introduction

- Fresh meat and fish were preserved by putting them in the sun
- Fruits and vegetables were dried in the sun or on an open stove
- Addition of salt and sugar
- Smoking

STUDENTS-HUB.com

# **Causes of Food Spoilage**

• Food spoilage :When food is spoil it become inedible or hazardous due to the chemical and physical changes that occur within the food

- 1) Microorganisms
- 2) Enzymes
- 3) Non-enzymatic reactions

# 1- Microorganisms

• Bacteria, yeasts and molds

 Have an advantageous roles in food preservation and processing

 Yeast in an essential ingredient in <u>bread</u> and is needed by the <u>brewing industry</u>

# 1- Microorganisms

- Certain cheeses are ripened by molds while other cheeses are ripened by bacteria
- Production of soy sauce require fermentation by molds
- Buttermilk, yogurt and fermented pickles owe their special desirable flavors to bacterial action

STUDENTS-HUB.com

# 2- Enzymes

- Present in any food that has been living tissue
   Meat, fish, poultry, chicken, eggs, fruits, veges
- If <u>undesirable enzyme action</u> is not controlled or the <u>enzymes are not destroyed</u>, there will be unwanted chemical changes in the preserved food
  - cutting apples  $\rightarrow$  it becomes brown
  - Tomato leaves  $\rightarrow$  develops a black scum

### Apple browning



STUDENTS-HUB.com

## Apple brwowning

• When an apple is cut (or bruised), oxygen is introduced into the injured plant tissue

 When oxygen is present in cells, polyphenol oxidase (PPO) enzymes in the chloroplasts rapidly oxidize phenolic compounds naturally present in the apple tissues to

# Apple browning

 the level of PPO activity and concentration of substrate are varied from fruit to another

 And that's why some apples seem to brown faster than others

## **PPO** activity

- PPO oxidation activity can be reduced by:
  - Heating
  - Coating wit syrup or sugar(reduce oxygen diffusion)
  - Blanching
  - Add acids like lemon juice (has antioxidant that can lower the oxidation rate)

## The desirable side of browning !

 the familiar brown color of tea, coffee and cocoa is developed by PPO enzymatic browning during product processing.



STUDENTS-HUB.com

## **3- Desiccation, Bruising and Oxidation**

- Desiccation is a process of drying as moisture is lost
- Oxidation can be retarded by :
  - appropriate packaging
  - control of environmental conditions
  - addition of antioxidants
- Example : edible coating of fruits and vegetables
  - Moisture barrier
  - Control respiration
  - Reduce post harvest decay





STUDENTS-HUB.com

# General methods of food preservation

- General principle for all preservation methods is <u>to prevent or retard the causes of spoilage</u>
- When the growth of microorganisms is only retarded or inhibited, prevention is <u>temporary</u>
- When spoilage organisms are completely destroyed and the food is protected, more permanent preservation is achieved

STUDENTS-HUB.com

# General methods of food preservation

- 1. Preservation by temperature control
- 2. Preservation by moisture control
- 3. Use of preservatives
- 4. Preservation by irradiation

# Preservation by Temperature Control

- Hot or cold temperature
- Hot temperature → destroy spoilage agents
- Cold temperature → produce an environment unfavorable to microbial growth

### Temperature control preservation

- cold temperature
  - Refrigeration and controlled atmosphere packaging
  - Freezing
- Thermal processing
  - Canning
  - Pasteurization

# **Cold Temperature**

• Inhibit the growth of microorganisms

 How much the food remain wholesome varies with the <u>temperature applied</u>, <u>type of the food</u> and the <u>type of packaging</u>

 Main concerns are the growth of <u>psycrophilic</u> and <u>mesophilic</u> pathogens

# Refrigeration and Controlled Atmosphere Storage

- Maintenance of food at or below 5c in the refrigerator preserve the food for a few days
- In Cold storage warehouses : the time the food is preserved is longer because the temperature is lower and the humidity is controlled
- Controlled atmosphere storage used to retard ripening or maturation changes that decrease the storage life of fresh produce

STUDENTS-HUB.com

# Freezing

- Can preserve food for a longer period
- Freezer should be maintained at no higher than -18C
- Action of the enzymes already present in the tissue is retarded at freezing temperature

Except products like vegetables

 Vegetables should be blanched before they are frozen (to destroy the enzymes by heating)

### blanching



#### STUDENTS-HUB.com

#### **Blanched Broccoli**

# BLANCHED NOT BLANCHED Dish-Ditiy.com

STUDENTS-HUB.com

# **Thermal Processing**

• Destroy both microorganisms and enzymes

• Heating must penetrate all parts of the food

- Bacteria are less readily destroyed than yeasts, molds, enzymes
- Vegetative cells are readily destroyed than spore form

# Canning

- Food is preserved by using high temperature and then sealing the container
- Complete destruction of microorganisms and their spores, as well as enzymes
- Retort packages are flexible packaging for thermoprocessed food
- Require <u>less time for heat penetration (than</u> <u>metal cans)</u>, save energy, easier to transport







#### STUDENTS-HUB.com

## Pasteurization

- Mild heat treatment that destroy microorganisms that may cause disease but <u>not all microorganism</u> in the product are destroyed
- Milk, fruit juices, eggs that are frozen or dried
- Limited or temporary preservation period than sterilization or canning

# Preservation by Moisture Control: Drying

• One of the oldest methods of preservation

 The food is dried in the sun or by air currents and artificial heat <u>until the moisture content</u> of the food is reduced to the level that inhibit the growth of microorganism

• Some foods can be easily dried at home

STUDENTS-HUB.com

# Preservation by Moisture Control: Drying

- Drying can be done in the oven, trays placed in the sun
- Vegetables should be blanched before they are dried
- Light colored fruits are of better quality when they are sulfured before drying

tai en alibaba com STUDENTS-HUB.com Uploaded By: anonymous

# Preservation by Moisture Control: Freeze-Drying

- Food product is first frozen, then placed in a vacuum where a small amount of heat is applied
- The ice in the frozen food changes directly to water vapor and is carried away by the circulating heat air
- Moisture content is reduced to 1-8%



STUDENTS-HUB.com

# Preservation by Moisture Control: Freeze- Drying

• Food product remain frozen through most of the drying period, it does not get warm

 Fresh flavors and texture are better preserved by freeze drying

• Meat, fruit, vegetables

STUDENTS-HUB.com



STUDENTS-HUB.com

STUDENTS-HUB.com

# Preservation by Moisture Control: Freeze- Drying

- Do not need refrigeration
- Light when transport
- Tend to deteriorate with long storage unless they are properly packaged
- Inhibit growth of undesirable microorganisms
- Common preservatives (household preservatives) include:
  - Acids
  - Salt
  - Sugar
  - Spices
  - smoke

Acids and sugars:

- In pickle vegetables, vinegar (acetic acid) and salt are used
- Acid prevent unwanted microbial growth, desirable <u>flavour</u> substances are produced by the bacteria
- Sugar is used in production and preservation of jam and jellies (<u>bind to the water</u>)

### • Spices:

• Inhibit bacterial growth to some degree

- Oils of spices inhibit microbial growth more than ground spices
- Ground cinnamon and cloves are more valuable than nutmeg

### Other preservatives:

- Many preservatives are used as food additives
- They must be tested for safety before being used

- Reduce microbial level
- Destroy pathogens
- Extend shelf life
- Remove insect infestation
- It is considered safe by: FDA, USDA, WHO, FAO, International Atomic Energy Agency (IAEA)

- CDC expert report that irradiation reduce foodborne illness cases
- More than 40 food products are irradiated in 37 countries
- Called cold pasteurization (destroys organisms without heating the food)
- Sources of radiation allowed for food are gamma rays, beta rays, x-rays

The chemical bonds in the microbial DNA
 → killing the microbe

Irradiated food are not radioactive

 Does not have enough energy to split
 atoms in the food

• Consumer acceptance is important for commercial application of food irradiation



STUDENTS-HUB.com

Uploaded By: anonymous

- 1. Protect food from contamination
- 2. Contain the food
- 3. Provide information
- 4. Enable the consumer to heat or cook the food in the package

### 1- Protection:

- Provide protection from biological, chemical, physical influence that may deteriorate the product
- <u>Chemical changes</u> can be controlled or prevented by the type of packaging
- Minimize the reactions that affect the <u>stability</u> or the shelf life of the food product

- Provide a <u>barrier to water vapor and oxygen</u> (to keep moisture in the food or to prevent moisture from entering the package)
- Permeability of the package to light also affect the stability of the food
- Physical protection help to prevent breakage, crushing and other forms of damage

### 2- Containment:

- Containers provide ease in handling and convenience
- Large containers result in less environmental waste
- Small containers may result in less food waste

- 3- Marketing and Information:
- Provide information about the product for the consumer
- Food contact nutrition label, package contents, product use, recipes

Unique codes enable traceability of the product throughout the distribution process

### Packaging of Food: Regulatory Requirement

- Compatibility of food and its packaging is a safety issue
- Package is a potential source of chemical substances for the food product

 Packaging materials are considered food additives and require premarket safety evaluation and approved by the FDA

## Packaging of Food: Methods of Packaging

### Aseptic Packaging:

- Involve <u>sterilization</u> of the food product, the package or container, filling the sterilized container with the sterilized food, sealing the container
- Developed in 1940
- To sterilize the packages
  - Heated steam
  - $\,\circ\,$  Dry hot air
  - Hydrogen peroxide in combination with heat or ultraviolet light

STUDENTS-HUB.com

Uploaded By: anonymous

### Packaging of Food: Methods of Packaging

- Food are pumped through heat exchanger → then into a holding tube → then into a cooling section → before being packaged
- Destruction of *Clostridium botulinum* spores must be <u>ensured</u>
- The process is highly automated, efficient and less expensive compared to the conventional canning





Uploaded By: anonymous



### Packaging of Food: Methods of Packaging

- Modified Atmosphere Packaging:
- Enclosure of food products in gas-barrier materials in which the gases environment has been changed or modified
  - reduce <u>respiration</u> rate
  - Reduce <u>microbial</u> spoilage
  - retard deterioration due to <u>enzymatic reaction</u>
     which will extend the product shelf life

### Packaging of Food: Methods of Packaging

- The amount of oxygen will be reduced while amount of carbon dioxide and nitrogen are increased
- Applied to fresh cut produce, sandwiches, pasta and sauces, prepared poultry, lunch kit
- Modification of the gas mixture may be accomplished by two different ways: vacuum packaging and gas packaging





Uploaded By: anonymous

### Packaging of Food: Methods of Packaging

• Sous vide: under vacuum

- Slow controlled cooking of food in sealed, heat stable pouches or trays, followed by quick chill and cold storage at 0-3°C
- The natural flavors are retained
- Can be reheated in a boiling water bath or in a microwave oven

### Packaging of Food: Methods of Packaging

 Major microbial hazard is the potential growth and toxin production of *Clostridium botiulinum*

 HACCP should be applied in the production of Sous vide



STUDENTS-HUB.com

Uploaded By: anonymous



STUDENTS-HUB.com

Uploaded By: anonymous

• Should be carefully chosen

Food flavors can be affected by the type of packaging

 Direct contact of food with packaging → could cause a <u>migration of volatile substances from</u> <u>the package into the food</u>

• Polyethylene and polypropylene have been implicated in flavor absorption into the plastic

- Glass is chemically inert and does not affect flavor
  - Disadvantages of breakability, cost, transportation

### • Paper and Paperboard:

- Produced from cellulose fibers derived from wood
- Corrugated boxes, milk cartons, folding cartons, bags, sacks, wrapping paper

 Any additives used in processing of paper must be regulated by FDA

### • Plastics:

 Organic polymers with variable chemical compositions and physical properties

 Different fabrication process are used to produce the many types and shapes of both rigid and flexible packages

### **Plastic Safety issues**

- To reduce your exposure to the chemicals in plastic, use these strategies:
- Use a paper towel instead of plastic wrap in the microwave.
- Don't microwave food in plastic containers (put food on a plate instead).
- Use safer dishware made from materials like glass or stainless steel.
- Avoid use of plastic containers with the number 3 or 7 on them. Plastics with the number 1 (typically used for water and soda bottles) are single use only. Recycle after use.
- Use tempered glass <u>baby bottles</u> instead of plastic. If you use plastic bottles, don't heat them.
- Store food in glass or Pyrex containers, rather than plastic.
- Discard scratched or worn plastic containers.
- Hand wash plastics to reduce wear and tear.

#### PLASTIC CONTAINERS

Identification code	Type of plastic	Uses	Risks
ŝ	Polyethylene terephthalate (PET)	<ul> <li>Bottles used for bottled water and soft drinks</li> <li>Jars for products such as peanut butter</li> <li>Lightweight and "green" wine bottles</li> </ul>	No known health hazards.
es	High density polyethylene (HDPE)	<ul> <li>Bottles used for milk and cream</li> <li>Yoghurt cups</li> <li>Bags that line breakfast cereal packets</li> </ul>	No known health hazards.
<u>ک</u>	Polyvinyl chloride (PVC)	<ul> <li>Shrink and cling wrap</li> <li>Clear plastic containers for fresh fruit or take-away sandwiches</li> <li>Some soft drink bottles</li> <li>The gaskets that form a seal on screw-cap glass jars</li> </ul>	Contains plasticisers such as DEHA or phthalates that can leach into food.
4	Low density polyethylene (LDPE)	<ul> <li>Take-away containers</li> <li>Waterproof coating on milk cartons</li> <li>Bags used for bread and frozen foods</li> <li>Cling wrap</li> </ul>	No known health hazards.
ß	Polypropylene (PP)	<ul> <li>Bottle caps</li> <li>Yoghurt and margarine containers</li> <li>Food storage boxes</li> </ul>	No known health hazards.
3	Polystyrene (PS)	<ul> <li>Plastic cutlery</li> <li>Drinking cups and yoghurt cups</li> <li>Cups for hot coffee (polystyrene foam)</li> <li>Lightweight trays used by supermarkets to package meat and sometimes vegetables (polystyrene foam)</li> </ul>	Researchers have investigated possible health risks from traces of styrene monomer. This risk seems to be low.
	This number is used as a catch-all for any other plastics, one of which is polycarbonate. TS-HUB.com	<ul> <li>Bottles for sauces and condiments</li> <li>Babies' feeding bottles and infants' drinking cups</li> <li>Reusable water bottles for cyclists or bushwalkers</li> </ul>	Polycarbonate can release BPA into the food, especially when bottles are washed for reuse. Uploaded By: anonymous

### Metals:

- Aluminum, aluminum foil, tinplate
- Aluminum is lightweight, resistant to corrosion, easily recycled
- Tinplate can be recycled, less expensive than aluminum, produced by coating thin sheets of steel in molten tin, <u>useful for sterilized</u> products

### tinplate



STUDENTS-HUB.com

Uploaded By: anonymous

- Combination of materials:
- Improve functional properties for food packages

 Containers for aseptic packaging may be fabricated with aluminum foil as a barrier material and a polypropylene or polyethylene as heat sealing and food contact surface

- These packages act as a barrier to moisture, oxygen, light, microorganisms and have the necessary strength
- Flexible retort pouch consist of three laminated materials held together by adhesives
- Outer layer is polyester, middle layer is aluminum foil and the inner layer is polyolefin
### Flexible retort pouch



STUDENTS-HUB.com

Uploaded By: anonymous

 Retort pouch is thin and permits sterilization temperature to be reached more quickly throughout the content than the traditional can

#### • Edible films and coating:

- Edible films is a thin layer of edible material formed on a food as a coating or placed on or between food components
- Edible films and coating are not meant to replace nonedible, synthetic materials for prolonged storage of food
- Can improve overall food quality and extending shelf life

- Inhibit migration of
  - Moist
  - Oxygen
  - carbon dioxide
  - Aromas
  - Lipids
- carry food ingredients (antioxidants, antimicrobial, flavor) and/or improve mechanical integrity

- If the product is fresh fruits or vegetables the film should retard moisture loss and <u>allow</u> <u>some permeability of oxygen and carbon</u> <u>dioxide</u>
- Potential edible films include <u>polysaccharides</u>, <u>proteins</u> and a <u>combination</u> of these substances