

## Chapter 5

# Games

(adversarial search problems)

Mustafa Jarrar

[University of Birzeit](#)

# Watch this lecture and download the slides





Course Page: <http://www.jarrar.info/courses/AI/>

More Online Courses at: <http://www.jarrar.info>

Acknowledgement:

This lecture is based on (but not limited to) chapter 5 in "S. Russell and P. Norvig: *Artificial Intelligence: A Modern Approach*".


# Can you plan ahead with these games



# Game Tree (2-player, deterministic, turns)

Image from [2]

## How to see the game as a tree



Last state,  
game is over

Calculated by utility function,  
depends on the game.

# Two-Person Perfect Information Deterministic Game



- Two players take turns making moves
- Board state fully known, deterministic evaluation of moves
- One player wins by defeating the other (or else there is a tie)
- Want a strategy to win, assuming the other person plays as well as possible

# Computer Games

Playing games can be seen as a Search Problem

Multiplayer games as multi-agent environments.

Agents' goals are in conflict.

Mostly deterministic and fully observable environments.

Some games are not trivial search problems, thus needs AI techniques, e.g. Chess has an average branching factor of 35, and games often go to 50 moves by each player, so the search tree has about  $35^{100}$  or  $10^{154}$  nodes.

Finding optimal move: choosing a good move with time limits.

Heuristic evaluation functions allow us to approximate the true utility of a state without doing a complete search.


# Minimax

## Create a utility function

- Evaluation of board/game state to determine how strong the position of player 1 is.
- Player 1 wants to maximize the utility function
- Player 2 wants to minimize the utility function

## Minimax Tree

- Generate a new level for each move
- Levels alternate between “max” (player 1 moves) and “min” (player 2 moves)



# Minimax Tree


You are Max and your enemy is Min.  
You play with your enemy in this way.

Max

Min

Max

Min







# Minimax Tree Evaluation

## Assign utility values to leaves

- Sometimes called “board evaluation function”
- If leaf is a “final” state, assign the maximum or minimum possible utility value (depending on who would win).
- If leaf is not a “final” state, must use some other heuristic, specific to the game, to evaluate how good/bad the state is at that point



# Minimax Tree




Terminal nodes: values calculated from the utility function, evaluates how good/bad the state is at this point

# Minimax Tree Evaluation

For the MAX player


1. Generate the game as **deep as time permits**
2. Apply the evaluation function to the leaf states
3. Back-up values
  - At MIN assign minimum payoff move
  - At MAX assign maximum payoff move
4. At root, MAX chooses the operator that led to the highest payoff

# Minimax Tree




Terminal nodes: values calculated from the utility function

# Minimax Tree




Other nodes: values calculated via minimax algorithm


# Minimax Tree



# Minimax Tree




# Minimax Tree






# MiniMax Example-2

Based on [3]




Terminal nodes: values calculated from the utility function

# MiniMax Example-2




Other nodes: values calculated via minimax algorithm


# MiniMax Example-2




# MiniMax Example-2



# MiniMax Example-2



# MiniMax Example-2



moves by Max and countermoves by Min

# Properties of MiniMax

**Complete:** Yes (if tree is finite)

**Optimal:** Yes (against an optimal opponent)

**Time complexity:** A complete evaluation takes time  $b^m$

**Space complexity:** A complete evaluation takes space  $bm$   
(depth-first exploration)

For chess,  $b \approx 35$ ,  $m \approx 100$  for "reasonable" games  
→ exact solution completely infeasible, since it's too big

Instead, we limit the depth based on various factors, including time available.

# Alpha-Beta Pruning Algorithm



# Pruning the Minimax Tree


Since we have limited time available, we want to avoid unnecessary computation in the minimax tree.

Pruning: ways of determining that certain branches will not be useful.


## $\alpha$ Cuts

If the current max value is greater than the successors min value, don't explore that min subtree any more.

# $\alpha$ Cut Example




# $\alpha$ Cut Example



Depth first search along path 1


# $\alpha$ Cut Example



21 is minimum so far (second level)

Can't evaluate yet at top level


# $\alpha$ Cut Example



-3 is minimum so far (second level)

-3 is maximum so far (top level)


# $\alpha$ Cut Example



12 is minimum so far (second level)

-3 is still maximum (can't use second node yet)


# $\alpha$ Cut Example



-70 is now minimum so far (second level)

-3 is still maximum (can't use second node yet)

# $\alpha$ Cut Example




Since second level node will never be  $> -70$ , it will never be chosen by the previous level

We can stop exploring that node




# $\alpha$ Cut Example




Evaluation at second level is again -73

# $\alpha$ Cut Example



Again, can apply  $\alpha$  cut since the second level node will never be  $> -73$ , and thus will never be chosen by the previous level

# $\alpha$ Cut Example




As a result, we evaluated the Max node without evaluating several of the possible paths

# $\beta$ Cuts


Similar idea to  $\alpha$  cuts, but the other way around  
If the current minimum is less than the successor's max value, don't look down that max tree any more

# $\beta$ Cut Example



Some subtrees at second level already have values  $>$  min from previous, so we can stop evaluating them.

# Alpha-Beta Example 2




$\alpha$  best choice for Max ?

$\beta$  best choice for Min ?


- we assume a depth-first, left-to-right search as basic strategy
- the range of the possible values for each node are indicated
  - initially  $[-\infty, +\infty]$
  - from Max's or Min's perspective
  - these *local* values reflect the values of the sub-trees in that node; the *global* values  $\alpha$  and  $\beta$  are the best overall choices so far for Max or Min

# Alpha-Beta Example 2



$\alpha$  best choice for Max ?  
 $\beta$  best choice for Min 7


# Alpha-Beta Example 2



$\alpha$  best choice for Max ?  
 $\beta$  best choice for Min 6




# Alpha-Beta Example 2



$\alpha$  best choice for Max      5  
 $\beta$  best choice for Min      5

- Min obtains the third value from a successor node
- this is the last value from this sub-tree, and the exact value is known
- Max now has a value for its first successor node, but hopes that something better might still come


# Alpha-Beta Example 2



$\alpha$  best choice for Max      5  
 $\beta$  best choice for Min      3

- Min continues with the next sub-tree, and gets a better value
- Max has a better choice from its perspective, however, and will not consider a move in the sub-tree currently explored by min
- Initially  $[-\infty, +\infty]$


# Alpha-Beta Example 2



$\alpha$  best choice for Max      5  
 $\beta$  best choice for Min      3

- Min knows that Max won't consider a move to this sub-tree, and abandons it
- this is a case of pruning, indicated by 


# Alpha-Beta Example 2



$\alpha$  best choice for Max      5  
 $\beta$  best choice for Min      3

- Min explores the next sub-tree, and finds a value that is worse than the other nodes at this level
- if Min is not able to find something lower, then Max will choose this branch, so Min must explore more successor nodes


# Alpha-Beta Example 2



$\alpha$  best choice for Max      5  
 $\beta$  best choice for Min      3

- Min is lucky, and finds a value that is the same as the current worst value at this level
- Max can choose this branch, or the other branch with the same value


# Alpha-Beta Example 2




$\alpha$  best choice for Max      5  
 $\beta$  best choice for Min      3

- Min could continue searching this sub-tree to see if there is a value that is less than the current worst alternative in order to give Max as few choices as possible
- this depends on the specific implementation
- Max knows the best value for its sub-tree

# Exercise



# Exercise (Solution)





# $\alpha$ - $\beta$ Pruning

Pruning by these cuts does not affect final result

- May allow you to go much deeper in tree

“Good” ordering of moves can make this pruning much more efficient

- Evaluating “best” branch first yields better likelihood of pruning later branches
- Perfect ordering reduces time to  $b^{m/2}$  instead of  $O(b^d)$
- i.e. doubles the depth you can search to!

# $\alpha$ - $\beta$ Pruning

Can store information along an entire *path*, not just at most recent levels!

Keep along the path:

$\alpha$ : best MAX value found on this path

(initialize to most negative utility value)

$\beta$ : best MIN value found on this path

(initialize to most positive utility value)

# Pruning at MAX node

$\alpha$  is possibly updated by the MAX of successors evaluated so far

If the value that would be returned is ever  $> \beta$ , then stop work on this branch

If all children are evaluated without pruning, return the MAX of their values


# Pruning at MIN node

$\beta$  is possibly updated by the MIN of successors evaluated so far

If the value that would be returned is ever  $< \alpha$ , then stop work on this branch

If all children are evaluated without pruning, return the MIN of their values


# Idea of $\alpha$ - $\beta$ Pruning



We know  $\beta$  on this path is 21  
So, when we get  $\max=70$ , we know this will never be used, so we can stop here

# Why is it called $\alpha$ - $\beta$ ?

- $\alpha$  is the value of the best (i.e., highest-value) choice found so far at any choice point along the path for *max*
- If  $v$  is worse than  $\alpha$ , *max* will avoid it
  - prune that branch
- Define  $\beta$  similarly for *min*



# Imperfect Decisions

Complete search is impractical for most games

Alternative: search the tree only to a certain depth

- Requires a cutoff-test to determine where to stop
  - Replaces the terminal test
  - The nodes at that level effectively become terminal leaf nodes
- Uses a heuristics-based evaluation function to estimate the expected utility of the game from those leaf nodes.

# Utility Evaluation Function

Very game-specific

Take into account knowledge about game

“Stupid” utility

- 1 if player 1 wins
- -1 if player 0 wins
- 0 if tie (or unknown)
- Only works if we can evaluate complete tree
- But, should form a basis for other evaluations



# Utility Evaluation

Need to assign a numerical value to the state

- Could assign a more complex utility value, but then the min/max determination becomes trickier.

Typically assign numerical values to lots of individual factors:

- $a = \# \text{ player 1's pieces} - \# \text{ player 2's pieces}$
- $b = 1$  if player 1 has queen and player 2 does not,  $-1$  if the opposite, or  $0$  if the same
- $c = 2$  if player 1 has 2-rook advantage,  $1$  if a 1-rook advantage, etc.

# Utility Evaluation

The individual factors are combined by some function

Usually a linear weighted combination is used:

- $u = \alpha a + \beta b + \chi c$
- Different ways to combine are also possible

Notice: quality of utility function is based on:

- What features are evaluated
- How those features are scored
- How the scores are weighted/combined

Absolute utility value doesn't matter – relative value does.

# Evaluation Functions

If you had a perfect utility evaluation function, what would it mean about the minimax tree?

**You would never have to evaluate more than one level deep!**

Typically, you can't create such perfect utility evaluations, though.

# Evaluation Functions for Ordering


As mentioned earlier, order of branch evaluation can make a big difference in how well you can prune

A good evaluation function might help you order your available moves:

- Perform one move only
- Evaluate board at that level
- Recursively evaluate branches in order from best first move to worst first move (or vice-versa if at a MIN node)

The following are extra Examples  
(Self Study)

# Example: Tic-Tac-Toe (evaluation function)



## Simple evaluation function

$$E(s) = (rx + cx + dx) - (ro + co + do)$$

where r,c,d are the numbers of row, column and diagonal lines still available; x and o are the pieces of the two players.

## 1-ply lookahead


- start at the top of the tree
- evaluate all 9 choices for player 1
- pick the maximum E-value

## 2-ply lookahead


- also looks at the opponents possible move
  - assuming that the opponents picks the minimum E-value

# Tic-Tac-Toe 1-Ply

Based on [3]



# Tic-Tac-Toe 2-Ply








# Checkers Case Study

Based on [4]

- Initial board configuration
  - Black
    - single on 20
    - single on 21
    - king on 31
  - Red
    - single on 23
    - king on 22
  - Evaluation function
$$E(s) = (5x_1 + x_2) - (5r_1 + r_2)$$
where
    - $x_1$  = black king advantage,
    - $x_2$  = black single advantage,
    - $r_1$  = red king advantage,
    - $r_2$  = red single advantage





# Checkers MiniMax Example





# Checkers Alpha-Beta Example

$\alpha$  1  
 $\beta$  6



# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  1



# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  1

⊗  $\beta$ -cutoff: no need to examine further branches



# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  1



# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  1

$\beta$ -cutoff: no need to examine further branches



# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  1





# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  0



# Checkers Alpha-Beta Example



$\alpha$  1  
 $\beta$  -4

⊗  $\alpha$ -cutoff: no need to examine further branches



# Checkers Alpha-Beta Example

$\alpha$  1  
 $\beta$  -8



# References

- [1] **S. Russell and P. Norvig: Artificial Intelligence: A Modern Approach**  
Prentice Hall, 2003, Second Edition
- [2] **Nilufer Onden: Lecture Notes on Artificial Intelligence**  
<http://www.cs.mtu.edu/~nilufer/classes/cs4811/2014-spring/lecture-slides/cs4811-ch05-adversarial-search.pdf>
- [3] **Samy Abu Nasser: Lecture Notes on Artificial Intelligence**  
[http://up.edu.ps/ocw/repositories/academic/up/bs/it/ITLS4213/022009/data/ITLS4213.101\\_11042009.ppt](http://up.edu.ps/ocw/repositories/academic/up/bs/it/ITLS4213/022009/data/ITLS4213.101_11042009.ppt)
- [4] **Franz Kurfess: Lecture Notes on Artificial Intelligence**  
<http://users.csc.calpoly.edu/~fkurfess/Courses/Artificial-Intelligence/F09/Slides/3-Search.ppt>