1. Kaolinite, a clay mineral with the formula A4Si4O10(OH)8, is use paper for magazines and as a raw material for ceramics. Analysis kaolinite contains 8.009 g of oxygen. Calculate the mass percent A) 1.792 mass % D) 34.12 mass % E) 55.81 mass % C) 30.81 mass % Ans: E	s shows that 14.35 g of of oxygen in kaolinite.
2. Compound 1 has a composition of 46.7 mass % of element A and element B. A and B also form a second binary compound (compositions of the two compounds are consistent with the law which of the following compositions could be that of compound A) 23.4 mass % A 76.6 mass % B B) 30.4 mass % A 69.6 mass % B C) 33.3 mass % A 66.7 mass % B Ans: B	ound 2). If the of multiple proportions, 2? A 46.7 mass % B
 3. J. J. Thomson studied cathode ray particles (electrons) and was a mass/charge ratio. His results showed that A) the mass/charge ratio varied as the cathode material was charge was always a whole-number multiple of some note. B) the charge was always a whole-number multiple of some note. C) matter included particles much smaller than the atom. D) atoms contained dense areas of positive charge. E) atoms are largely empty space. Ans: C 	nanged.
4. Who is credited with measuring the mass/charge ratio of the election A) Dalton B) Gay-Lussac C) Thomson D) Millikan E) Ans: C	
5. Who is credited with first measuring the charge of the electron? A) Dalton B) Gay-Lussac C) Thomson D) Millikan E) Ans: D	Rutherford
 6. Millikan's oil-drop experiment A) established the charge on an electron. B) showed that all oil drops carried the same charge. C) provided support for the nuclear model of the atom. D) suggested that some oil drops carried fractional numbers of suggested the presence of a neutral particle in the atom. Ans: A 	f electrons.

7.	In a Millikan oil-drop experiment, the charges on several different oil drops were as follows: -5.92; -4.44; -2.96; -8.88. The units are arbitrary. What is the likely value of the electronic charge in these arbitrary units? A) -1.11 B) -1.48 C) -2.22 D) -2.96 E) -5.55 Ans: B
8.	Who is credited with discovering the atomic nucleus? A) Dalton B) Gay-Lussac C) Thomson D) Millikan E) Rutherford Ans: E
9.	Rutherford bombarded gold foil with alpha (α) particles and found that a small percentage of the particles were deflected. Which of the following was <u>not</u> accounted for by the model he proposed for the structure of atoms? A) the small size of the nucleus B) the charge on the nucleus C) the total mass of the atom D) the existence of protons E) the presence of electrons outside the nucleus Ans: C
10.	 Which one of the following statements about atoms and subatomic particles is correct? A) Rutherford discovered the atomic nucleus by bombarding gold foil with electrons. B) The proton and the neutron have identical masses. C) The neutron's mass is equal to that of a proton plus an electron. D) A neutral atom contains equal numbers of protons and electrons. E) An atomic nucleus contains equal numbers of protons and neutrons. Ans: D
11.	Bromine is the only nonmetal that is a liquid at room temperature. Consider the isotope bromine-81, $^{81}_{35}$ Br . Select the combination which lists the correct atomic number, neutron number, and mass number, respectively. A) 35, 46, 81 B) 35, 81, 46 C) 81, 46, 35 D) 46, 81, 35 E) 35, 81, 116 Ans: A
12.	Atoms X, Y, Z, and R have the following nuclear compositions:
	$^{410}_{186} X$ $^{410}_{183} Y$ $^{412}_{186} Z$ $^{412}_{185} R$
	Which two are isotopes? A) X & Y B) X & R C) Y & R D) Z & R E) X & Z

Ans: E

- 13. Lithium forms compounds which are used in dry cells and storage batteries and in hightemperature lubricants. It has two naturally occurring isotopes, ⁶Li (isotopic mass = 6.015121 amu) and ⁷Li (isotopic mass = 7.016003 amu). Lithium has an atomic mass of 6.9409 amu. What is the percent abundance of lithium-6?
- A) 92.50% B) 86.66% C) 46.16% D) 7.503% E) 6.080%

Ans: D

14. Silicon, which makes up about 25% of Earth's crust by mass, is used widely in the modern electronics industry. It has three naturally occurring isotopes, ²⁸Si, ²⁹Si, and ³⁰Si. Calculate the atomic mass of silicon.

<u>Isotope</u>	Isotopic Mass (amu)	Abundance %
²⁸ Si	27.976927	92.23
²⁹ Si	28.976495	4.67
30 Si	29.973770	3.10

A) 29.2252 amu D) 28.0855 amu

B) 28.9757 amu E) 27.9801 amu

28.7260 amu C)

Ans: D

- 15. Which of the following elements are the least reactive?
 - alkali metals A)

alkaline earth metals D)

noble gases B)

E) metalloids

C) halogens

Ans: B

- 16. Which of the following is a non-metal?
 - lithium, Li, Z = 3A)

D) bismuth, Bi, Z = 83

B) bromine. Br. Z = 35 E) sodium. Na. Z = 11

- mercury, Hg, Z = 80C)

Ans: B

- 17. Which of the following is a metal?
 - nitrogen, N, Z = 7A)

- thallium, Tl, Z = 81D)
- phosphorus, P, Z = 15B)
- silicon, Si, Z = 14E)

arsenic, Z = 33C)

Ans: D

- 18. Which of the following is a metalloid?
 - carbon, C, Z = 6A)

iridium, Z = 77D)

sulfur, S, Z = 16B)

- bromine, Br, Z = 35E)
- germanium, Ge, Z = 32C)

Ans: C

19. A column of the periodic table is called a A) group B) period C) isotopic mixture D) pillar E) shell Ans: A
20. A row of the periodic table is called a A) group B) period C) isotopic mixture D) family E) subshell Ans: B
21. Which of the following compounds is ionic? A) PF ₃ B) CS ₂ C) HCl D) SO ₂ E) MgCb Ans: E
22. Which of the following ions occurs commonly? A) N ³⁺ B) S ⁶⁺ C) O ²⁻ D) Ca ⁺ E) Cl ⁺ Ans: C
23. Which of the following ions occurs commonly? A) P ³⁺ B) Br ⁷⁺ C) O ⁶⁺ D) Ca ²⁺ E) K ⁻ Ans: D
24. Which of the following compounds is covalent? A) CaCl ₂ B) MgO C) Al ₂ O ₃ D) Cs ₂ S E) PCl ₃ Ans: E
25. Which of the following is the empirical formula for hexane, C ₆ H ₁₄ ? A) C ₁₂ H ₂₈ B) C ₆ H ₁₄ C) C ₃ H ₇ D) CH _{2.3} E) C _{0.43} H Ans: C
26. Sodium oxide combines violently with water. Which of the following gives the formula and the bonding for sodium oxide? A) NaO, ionic compound B) NaO, covalent compound C) Na ₂ O, ionic compound C) Na ₂ O, ionic compound Ans: C
 27. Barium fluoride is used in embalming and in glass manufacturing. Which of the following gives the formula and bonding for barium fluoride? A) BaF₂, ionic compound B) BaF₂, covalent compound C) BaF, ionic compound D) BaF, covalent compound E) Ba₂F, ionic compound C) BaF, ionic compound Ans: A

28.	The coname A) B) C) D) E) Ans:	magnesium difluoride magnesium fluoride magnesium(II) fluoride monomagnesium difluoride none of these choices is correct, since		
29.		compound, BaO, absorbs water and car organic solvents. What is its name? barium oxide barium(II) oxide barium monoxide A	bon di D) E)	oxide readily and is used to dry gases baric oxide barium peroxide
30.	What A) B) C) Ans:	sodium dioxide	D) E)	sodium(I) oxide sodium oxide
31.	A)	substance, CaSe, is used in materials where calcium monoselenide calcium(II) selenide calcium selenide	nich an D) E)	re electron emitters. What is its name? calcium(I) selenide calcium(II) selenium
32.		nk as it gains water from moist air. What cobalt dichloride cobalt(II) chloride cobalt chloride		cator because it changes from pale blue s name? cobaltic chloride copper(II) chloride
33.	A) B)	ch one of the following combinations of O_2^- oxide Al^{3^+} aluminum NO_3^- nitrate A	name D) E)	es and formulas of ions is incorrect? PO ₄ ³⁻ phosphate CrO ₄ ²⁻ chromate

34.	Which one of the A) O ²⁻ oxide B) Cd ²⁺ cadr C) ClO ₃ ⁻ chlo Ans: E	nium	D)	s and formulas of ions is incorrect? HCO ₃ ⁻ hydrogen carbonate NO ₂ ⁻ nitrate
35.	Which one of the A) Ba ²⁺ barium B) S ²⁻ sulfate C) CN ⁻ cyante Ans: B	um e	D)	s and formulas of ions is incorrect? ClO ₄ ⁻ perchlorate HCO ₃ ⁻ bicarbonate
36.	Which one of the A) NH ₄ ⁺ amm B) S ²⁻ sulfide C) CN ⁻ cyante Ans: E	monium	D)	s and formulas of ions is incorrect? $S_2O_3^{2-}$ thiosulfate ClO_3^- perchlorate
37.	A) manganes B) manganes	porcelain can be produced by se disulfate se(II) sulfate se(IV) sulfate	_	MnSO ₄ . What is its name? manganese sulfate manganese(I) sulfate
38.	The compound, sample. What is A) ammonium B) diammonium C) ammonium Ans: A	s its name? m sulfide ium sulfide	lysis fo D) E)	for trace amounts of metals present in a ammonia(I) sulfite ammonium(I) sulfide
39.	What is its name A) potassium B) potassium	e? n chlorite	D) E)	explosives, fireworks, and matches. potassium(I) chlorate potassium chlorate
40.	A) sodium biB) sodium hy	NaH ₂ PO ₄ , is present in man iphosphate ydrogen phosphate ihydrogen phosphate	y baki D) E)	ng powders. What is its name? sodium hydrophosphate sodium dihydride phosphate

i]	· / -		nufacturing glazes for porcelain. What Zn_2CH_3COO $ZnCH_3COCH_3$
	Ans: C		
1	Silver chloride is used in photographic emulsi A) Ag ₂ Cl ₃ B) Ag ₂ Cl C) AgCl ₃ D) Ag Ans: E		
1	Barium sulfate is used in manufacturing photo A) BaSO ₄ B) Ba(SO ₄) ₂ C) Ba ₂ SO ₄ D) Ans: A	-	
1	Sodium peroxide is an oxidizer used to bleach formula? A) NaO B) NaO ₂ C) Na ₂ O ₂ D) Na ₂ O Ans: C		-
1	What is the formula for magnesium sulfide? A) MgS B) MgS ₂ C) Mg ₂ S D) Mg ₂ S ₃ Ans: A	E)	${ m MgSO_4}$
1	Ferric oxide is used as a pigment in metal poliformula? A) FeO B) Fe ₂ O C) FeO ₃ D) Fe ₂ O ₅ Ans: E		-
1	What is the formula for lead (II) oxide? A) PbO B) PbO ₂ C) Pb ₂ O D) PbO ₄ Ans: A	Е) Р	b_2O_3
1	Potassium permanganate is a strong oxidizer t materials. What is its formula? A) KMnO ₃ B) KMnO ₄ C) K ₂ MnO ₄ D) Ans: B		
1	Calcium hydroxide is used in mortar, plaster a A) CaOH B) CaOH ₂ C) Ca ₂ OH D) Ca Ans: D		
1	What is the formula for lithium nitrite? A) LiNO ₂ B) Li ₂ NO ₂ C) LiNO ₃ D) Li Ans: A	NO ₂	3 E) LiNO ₄

<i>-</i> 1	T (TT) 11 :1 1 1 1 : 1 1		
51.	Iron (III) chloride hexahydrate is used as a What is its formula?		-
	A) Fe(Cl·6H ₂ O) ₃ B) Fe ₃ Cl·6H ₂ O	D) E)	Fe ₃ Cl(H ₂ O) ₆ FeCl ₃ ·6H ₂ O
	C) FeCl ₃ (H ₂ O) ₆	L)	1 e c g · 0112 0
	Ans: E		
52	Which one of the following formulas of io	onia aon	anounds is the least likely to be correct?
34.	A) NH ₄ Cl B) Ba(OH) ₂ C) Na ₂ SO ₄		
	Ans: D	-) - ···2	3.03
53	Which one of the following formulas of io	onic con	anounds is the least likely to be correct?
00.	A) CaCh B) NaSO ₄ C) MgCO ₃ D		
	Ans: B	,	
54	What is the name of the acid formed when	n HoS og	as is dissolved in water?
J 1.	A) sulfuric acid	D)	hydrosulfurous acid
	B) sulfurous acid	E)	sulfidic acid
	C) hydrosulfuric acid		
	Ans: C		
55	What is the name of the acid formed when	n HBr g	as is dissolved in water?
00.	A) bromic acid	D)	hydrobromous acid
	B) bromous acid	E)	hydrobromidic acid
	C) hydrobromic acid		
	Ans: C		
56.	What is the name of the acid formed when	n HClO4	liquid is dissolved in water?
	A) hydrochloric acid	D)	chlorous acid
	B) perchloric acid	E)	hydrochlorate acid
	C) chloric acid Ans: B		
	Alls. B		
57.	What is the name of the acid formed when	n HCN g	gas is dissolved in water?
	A) cyanic acid	D)	hydrocyanous acid
	B) hydrocyanic acid	E)	hydrogen cyanide
	C) cyanous acid Ans: B		
	Alls. B		
58.	Which one of the following combinations	of name	es and formulas is incorrect?
	A) H ₃ PO ₄ phosphoric acid	D)	H ₂ CO ₃ carbonic acid
	B) HNO ₃ nitric acid	E)	KOH potassium hydroxide
	C) NaHCO ₃ sodium carbonate		
	Ans: C		

59.	A)	1 1	D) E)	trichlorophosphide phosphorus trichloride
60.	A)	compound, P_4S_{10} , is used in the manufal phosphorus sulfide phosphoric sulfide D	cture (C) D)	-
61.	A) B)	boric bromide boron tribromide	D) E)	tribromoboride bromine triboride
62.	A) B)	is the name of IF ₇ ? iodine fluoride iodic fluoride iodine heptafluoride C	D) E)	heptafluorine iodide
63.	A) B)	phosphorus triselenide tetraphosphorus selenide	D) E)	phosphoric selenide tetraphosphorus triselenide
64.	carbo	line pentaoxide is used as an oxidizing and dioxide. What is its chemical formula O_5 B) IO_5 C) $2IO_5$ D) I_5O_2 E) A	a?	
65.		sulfur dinitride decomposes explosively 2N ₄ B) S ₄ N ₂ C) 4SN ₂ D) S ₄ N B		
66.	purifi	rine dioxide is a strong oxidizer that is a cation of water. What is its formula? ClO ₂ B) C½O C) C½O ₂ D) C½O		-

D)

E)

128.11 amu

132.13 amu

67. Ammonium sulfate, (NH₄)₂SO₄, is a fertilizer widely used as a source of nitrogen.

Calculate its molecular mass.

63.07 amu

114.10 amu

A)

B)

	C) 118.13 amu Ans: E		
68.	Sodium chromate is used to protect iromolecular mass. A) 261.97 amu		rosion and rusting. Determine its 138.98 amu
	A) 261.97 amu B) 238.98 amu C) 161.97 amu Ans: C	D) E)	74.99 amu
69.	Iodine pentafluoride reacts slowly with molecular mass.	h glass and	violently with water. Determine its
	A) 653.52 amu	D)	202.90 amu
	B) 259.89 amu	E)	145.90 amu
	C) 221.90 amu Ans: C		
70.	Determine the molecular mass of iron catalyst in organic reactions.	(III) bromic	de hexahydrate, a substance used as a
	A) 403.65 amu	D)	313.57 amu
	B) 355.54 amu	E)	295.56 amu
	C) 317.61 amu Ans: A		
71.	Name the three important "laws" that Ans: Laws of conservation of mass; of		
72	Dalton's atomic theory has required so		
12.	discoveries. For any two appropriate p	postulates of	<u> </u>
	a. state the postulate in its original form		mandad madification
	b. In one sentence, describe why the p Ans: Matter consists of atoms which atoms are divisible, as the existe	are indivisib	ole, cannot be created or destroyed. But,
	Atoms of an element are identic	al in mass a	nd other properties. Isotopes of an
	element differ in their masses an (Another possible answer: Atom	-	ement cannot be converted into atoms of
			various nuclear reactions, including
	• /		

73. Fill in the blank spaces and write out all the symbols in the left hand column in full, in the form ${}^{4}X$ (i.e., include the appropriate values of Z and A as well as the correct symbol X).

Symbol	# protons	# neutrons	# electrons
	17	18	•••
Au	•••	118	
		20	20

Ans:

<u>Symbol</u>	# protons	# neutrons	# electrons
35 17	17	18	17
¹⁹⁷ ₇₉ Au	79	118	79
²⁰ ₂₀ Ca	20	20	20

74. The following charges on individual oil droplets were obtained during an experiment similar to Millikan's. Use them to determine a charge for the electron in coulombs (C), showing all your working.

Charges (C):
$$-3.184 \times 10^{-19}$$
; -4.776×10^{-19} ; -7.960×10^{-19}
Ans: -1.59×10^{-19} C

75. State the two important experimental results (and the names of the responsible scientists) which enabled the mass of the electron to be determined.

Ans: Thomson measured m/e, the mass-to-charge ratio. Millikan measured e, the charge. Thus, the mass m could be calculated.

- 76. For each of the following elements, indicate whether it is a metal, a non-metal or a metalloid:
 - a. S
 - b. Ge
 - c. Hg
 - d. H
 - e. I
 - f. Si

Ans: a. nonmetal

- b. metalloid
- c. metal
- d. nonmetal
- e. nonmetal
- f. metalloid

- 77. Give the common name of the group in the periodic table to which each of the following elements belongs:
 - a. Rb
 - b. Br
 - c. Ba
 - d. Ar
 - Ans: a. alkali metals
 - b. halogens
 - c. alkaline earth metals
 - d. noble gases
- 78. a. Give the names of the following ions:
 - (i) NH₄⁺
 - (ii) SO₃²-
 - b. Write down the formulas of the following ions:
 - (i) aluminum
 - (ii) carbonate
 - Ans: a. (i) ammonium
 - (ii) sulfite
 - b. (i) Al³⁺
 - (ii) CO₃²-
- 79. a. Give the names of the following ions:
 - (i) O_2^{2-}
 - (ii) SO₄²-
 - b. Write down the formulas of the following ions:
 - (i) ammonium
 - (ii) nitrate
 - Ans: a. (i) peroxide
 - (ii) sulfate
 - b. (i) NH₄⁺
 - (ii) NO₃
- 80. For each of the following names, write down the corresponding formula, including charge where appropriate (atomic numbers and mass numbers are not required):
 - a. zinc ion
 - b. nitrite ion
 - c. carbonic acid
 - d. cyanide ion
 - Ans: a. Zn²⁺
 - b. NO₂-
 - c. H₂CO₃
 - d. CN

- 81. Calculate the molecular masses of the following:
 - a. Cb
 - $b. H_2O_2$
 - c. (NH₄)₂SO₄
 - d. $Ba(NO_3)_2$
 - Ans: a. 70.90 amu
 - b. 34.02 amu
 - c. 132.2 amu
 - d. 261.3 amu
- 82. In nature, some elements exist as molecules, while others do not.

Ans: True

83. Modern studies have shown that the Law of Multiple Proportions is not valid.

Ans: False

84. The mass of a neutron is equal to the mass of a proton plus the mass of an electron.

Ans: False

85. All neutral atoms of tin have 50 protons and 50 electrons.

Ans: True

86. Copper (Cu) is a transition metal.

Ans: True

87. Lead (Pb) is a main-group element.

Ans: True

88. Ionic compounds may carry a net positive or negative charge.

Ans: False

89. When an alkali metal combines with a non-metal, a covalent bond is normally formed.

Ans: False

90. The molecular formula of a compound provides more information than its structural formula.

Ans: False

91. The formula C₉H₂₀ is an empirical formula.

Ans: True