

Chapter 1: MEASUREMENT

1. The SI standard of time is based on:
 - A. the daily rotation of the earth
 - B. the frequency of light emitted by Kr^{86}
 - C. the yearly revolution of the earth about the sun
 - D. a precision pendulum clock
 - E. none of theseAns: E
2. A nanosecond is:
 - A. 10^9 s
 - B. 10^{-9} s
 - C. 10^{-10} s
 - D. 10^{-10} s
 - E. 10^{-12}Ans: B
3. The SI standard of length is based on:
 - A. the distance from the north pole to the equator along a meridian passing through Paris
 - B. wavelength of light emitted by Hg^{198}
 - C. wavelength of light emitted by Kr^{86}
 - D. a precision meter stick in Paris
 - E. the speed of lightAns: E
4. In 1866, the U. S. Congress defined the U. S. yard as exactly 3600/3937 international meter. This was done primarily because:
 - A. length can be measured more accurately in meters than in yards
 - B. the meter is more stable than the yard
 - C. this definition relates the common U. S. length units to a more widely used system
 - D. there are more wavelengths in a yard than in a meter
 - E. the members of this Congress were exceptionally intelligentAns: C
5. Which of the following is closest to a yard in length?
 - A. 0.01 m
 - B. 0.1 m
 - C. 1 m
 - D. 100 m
 - E. 1000 mAns: C

6. There is no SI base unit for area because:
- A. an area has no thickness; hence no physical standard can be built
 - B. we live in a three (not a two) dimensional world
 - C. it is impossible to express square feet in terms of meters
 - D. area can be expressed in terms of square meters
 - E. area is not an important physical quantity

Ans: D

7. The SI base unit for mass is:
- A. gram
 - B. pound
 - C. kilogram
 - D. ounce
 - E. kilopound

Ans: C

8. A gram is:
- A. 10^{-6} kg
 - B. 10^{-3} kg
 - C. 1 kg
 - D. 10^3 kg
 - E. 10^6 kg

Ans: B

9. Which of the following weighs about a pound?
- A. 0.05 kg
 - B. 0.5 kg
 - C. 5 kg
 - D. 50 kg
 - E. 500 kg

Ans: D

10. $(5.0 \times 10^4) \times (3.0 \times 10^6) =$
- A. 1.5×10^9
 - B. 1.5×10^{10}
 - C. 1.5×10^{11}
 - D. 1.5×10^{12}
 - E. 1.5×10^{13}

Ans: C

11. $(5.0 \times 10^4) \times (3.0 \times 10^{-6}) =$
- A. 1.5×10^{-3}
 - B. 1.5×10^{-1}
 - C. 1.5×10^1
 - D. 1.5×10^3
 - E. 1.5×10^5

Ans: B

12. $5.0 \times 10^5 + 3.0 \times 10^6 =$

- A. 8.0×10^5
- B. 8.0×10^6
- C. 5.3×10^5
- D. 3.5×10^5
- E. 3.5×10^6

Ans: E

13. $(7.0 \times 10^6)/(2.0 \times 10^{-6}) =$

- A. 3.5×10^{-12}
- B. 3.5×10^{-6}
- C. 3.5
- D. 3.5×10^6
- E. 3.5×10^{12}

Ans: E

14. The number of significant figures in 0.00150 is:

- A. 2
- B. 3
- C. 4
- D. 5
- E. 6

Ans: B

15. The number of significant figures in 15.0 is:

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Ans: C

16. $3.2 \times 2.7 =$

- A. 9
- B. 8
- C. 8.6
- D. 8.64
- E. 8.640

Ans: C

17. $1.513 + 27.3 =$

- A. 29
- B. 28.8
- C. 28.9
- D. 28.81
- E. 28.813

()Ans: B

18. 1 mi is equivalent to 1609 m so 55 mph is:

- A. 15 m/s
- B. 25 m/s
- C. 66 m/s
- D. 88 m/s
- E. 1500 m/s

Ans: B

19. A sphere with a radius of 1.7 cm has a volume of:

- A. $2.1 \times 10^{-5} \text{ m}^3$
- B. $9.1 \times 10^{-4} \text{ m}^3$
- C. $3.6 \times 10^{-3} \text{ m}^3$
- D. 0.11 m^3
- E. 21 m^3

Ans: A

20. A sphere with a radius of 1.7 cm has a surface area of:

- A. $2.1 \times 10^{-5} \text{ m}^2$
- B. $9.1 \times 10^{-4} \text{ m}^2$
- C. $3.6 \times 10^{-3} \text{ m}^2$
- D. 0.11 m^2
- E. 36 m^2

Ans: C

21. A right circular cylinder with a radius of 2.3 cm and a height of 1.4 m has a volume of:

- A. 0.20 m^3
- B. 0.14 m^3
- C. $9.3 \times 10^{-3} \text{ m}^3$
- D. $2.3 \times 10^{-3} \text{ m}^3$
- E. $7.4 \times 10^{-4} \text{ m}^3$

Ans: D

22. A right circular cylinder with a radius of 2.3 cm and a height of 1.4 cm has a total surface area of:

- A. $1.7 \times 10^{-3} \text{ m}^2$
- B. $3.2 \times 10^{-3} \text{ m}^2$
- C. $2.0 \times 10^{-3} \text{ m}^3$
- D. $5.3 \times 10^{-3} \text{ m}^2$
- E. $7.4 \times 10^{-3} \text{ m}^2$

Ans: D

23. A cubic box with an edge of exactly 1 cm has a volume of:

- A. 10^{-9} m^3
- B. 10^{-6} m^3
- C. 10^{-3} m^3
- D. 10^3 m^3
- E. 10^6 m^3

Ans: B

24. A square with an edge of exactly 1 cm has an area of:

- A. 10^{-6} m^2
- B. 10^{-4} m^2
- C. 10^2 m^2
- D. 10^4 m^2
- E. 10^6 m^2

Ans: B

25. 1 m is equivalent to 3.281 ft. A cube with an edge of 1.5 ft has a volume of:

- A. $1.2 \times 10^2 \text{ m}^3$
- B. $9.6 \times 10^{-2} \text{ m}^3$
- C. 10.5 m^3
- D. $9.5 \times 10^{-2} \text{ m}^3$
- E. 0.21 m^3

Ans: B

26. During a short interval of time the speed v in m/s of an automobile is given by $v = at^2 + bt^3$, where the time t is in seconds. The units of a and b are respectively:

- A. $\text{m} \cdot \text{s}^2$; $\text{m} \cdot \text{s}^4$
- B. s^3/m ; s^4/m
- C. m/s^2 ; m/s^3
- D. m/s^3 ; m/s^4
- E. m/s^4 ; m/s^5

Ans: D

27. Suppose $A = BC$, where A has the dimension L/M and C has the dimension L/T. Then B has the dimension:

- A. T/M
- B. L^2/TM
- C. TM/L^2
- D. $\text{L}^2\text{T}/\text{M}$
- E. $\text{M}/\text{L}^2\text{T}$

Ans: A

28. Suppose $A = B^n C^m$, where A has dimensions LT , B has dimensions L^2T^{-1} , and C has dimensions LT^2 . Then the exponents n and m have the values:

- A. $2/3; 1/3$
- B. $2; 3$
- C. $4/5; -1/5$
- D. $1/5; 3/5$
- E. $1/2; 1/2$

Ans: D